



## Tractors - updated on 2019-01-20

www.tuningbox.com - info@tuningbox.com - +32.(0)80.678.372

Aebi	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
TP 450 3.0 Euro 4 (From 01/01/2008 to 01/12/2016)	72	98	350	87	118	405	3115	L	

  

Agco	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
DT DT180A 7.4 (From 01/01/2005 to 31/12/2010)	158	215	0	180	245	0	VP-T	LK	
DT DT200A 7.4 (From 01/01/2005 to 31/12/2010)	173	235	0	199	270	0	VP-T	LK	
DT DT205B 8.4 (From 01/01/2005 to 31/12/2010)	178	242	0	218	297	0	3178	L	
DT DT220A 8.4 (From 01/01/2005 to 31/12/2010)	191	260	0	215	293	0	VP-T	LK	
DT DT225B 8.4 (From 01/01/2005 to 31/12/2010)	195	265	0	238	323	0	3178	L	
DT DT240A 8.4 (From 01/01/2005 to 31/12/2010)	213	290	0	238	324	0	VP-T	LK	
DT DT250B 8.4 (From 01/01/2005 to 31/12/2010)	218	296	0	268	365	0	3178	L	
DT DT275B 8.4 (From 01/01/2005 to 31/12/2010)	236	321	0	288	391	0	3178	L	
Gleaner A66 8.4	221	300	0	267	363	0	3178	L	
Gleaner A76 8.4	257	350	0	321	436	0	3178	L	
Gleaner R65 8.4	223	303	0	267	363	0	3178	L	
Gleaner R75 8.4	257	350	0	321	436	0	3178	L	
Gleaner R76 8.4	261	355	0	321	436	0	3178	L	
Gleaner S67 8.4 Tier 4	275	374	0	319	434	0	3191	L	
Gleaner S77 8.4 Tier 4	233	317	0	270	367	0	3191	L	
Gleaner S78 9.8	279	379	0	338	460	0	3280	L	
Gleaner S88 9.8	321	437	0	386	525	0	3280	L	
LTxxA LT75A 4.4 (From 01/01/2006 to 31/12/2008)	55	75	0	74	101	0	VP-T	LK	
LTxxA LT90A 4.4 (From 01/01/2006 to 31/12/2008)	66	90	0	85	115	0	VP-T	LK	
RT 100 6.6 VP Pump (From 01/01/2004 to 31/12/2011)	74	100	0	100	136	0	VP-T	LK	
RT 110A 6.6 (From 01/01/2004 to 31/12/2011)	100	136	0	126	172	0	3178	L	
RT 120 6.6 VP Pump (From 01/01/2004 to 31/12/2011)	88	120	0	110	150	0	VP-T	LK	
RT 120A 6.6 (From 01/01/2004 to 31/12/2011)	108	147	0	141	192	0	3178	L	
RT 135 6.6 VP Pump (From 01/01/2004 to 31/12/2011)	99	135	0	127	173	0	VP-T	LK	
RT 140A 6.6 (From 01/01/2004 to 31/12/2011)	127	173	0	156	212	0	3178	L	
RT 150 6.6 VP Pump (From 01/01/2004 to 31/12/2011)	110	150	0	132	180	0	VP-T	LK	
RT 155A 6.6 (From 01/01/2004 to 31/12/2011)	138	188	0	168	228	0	3178	L	
RT 165A 6.6 (From 01/01/2004 to 31/12/2011)	149	203	0	188	255	0	3178	L	
RT 165A 7.4 VP Pump (From 01/01/2004 to 31/12/2011)	121	165	0	141	192	0	VP-T	LK	

RT 180A 6.6 (From 01/01/2004 to 31/12/2011)	160	218	0	199	271	0	3178	L	
<b>Batemann</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
RB17 4.5 John Deere	92	125	585	110	149	710	3198	L	
RB26 6.8 John Deere	136	185	859	173	235	1020	3196	L	
RB35 6.8 John Deere	165	224	0	210	285	0	3196	L	
RB55 6.8 John Deere	202	275	0	252	343	0	3196	L	
<b>Bobard</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
1054 4.4	94	128	599	110	150	670	3070	L	
<b>Case IH</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
AF 2377 8.3 CR (After 01/01/2008)	190	258	0	240	327	0	3096	L	
AF 2377 8.3 Caps Pump (After 01/01/2008)	198	269	0	240	327	0	3123	L	
AF 2388 8.3 CR (After 01/01/2008)	216	294	0	265	360	0	3096	L	
AF 2388 8.3 Caps Pump (After 01/01/2008)	220	299	0	265	360	0	3123	L	
AF 2577 8.3 Caps Pump (After 01/01/2008)	198	269	0	243	330	0	3123	L	
AF 2577 8.3 CR (After 01/01/2008)	198	269	0	243	330	0	3096	L	
AF 2588 8.3 CR (After 01/01/2008)	227	309	0	277	377	0	3096	L	
AF 2588 8.3 Caps Pump (After 01/01/2008)	227	309	0	277	377	0	3123	L	
AF 5088 8.3 CR (After 01/01/2008)	216	294	0	270	367	0	3096	L	
AF 5130 6.7 Tier 4A (After 01/01/2008)	198	269	0	249	338	0	3175	L	
AF 5140 6.7 Tier 4B / Tier 4F (After 01/01/2008)	229	312	0	264	359	0	3262	L	
AF 6088 8.3 CR (After 01/01/2008)	261	355	0	301	410	0	3096	L	
AF 6130 8.7 Tier 4A (After 01/01/2008)	239	325	0	300	408	0	3175	L	
AF 6140 8.7 (After 01/01/2008)	260	354	0	309	420	0	3285	T	
AF 7010 9.0 (After 01/01/2008)	261	355	0	327	445	0	3175	L	
AF 7120 9.0 (After 01/01/2008)	310	422	0	390	530	0	3175	L	
AF 7130 8.7 (After 01/01/2008)	260	354	0	327	445	0	3175	L	
AF 7140 8.7 (After 01/01/2008)	280	381	0	329	447	0	3285	T	
AF 7230 8.7 (After 01/01/2008)	284	386	0	357	485	0	3175	L	
AF 8010 10.3 (After 01/01/2008)	303	412	0	366	498	0	3156	L	
AF 8120 10.3 (After 01/01/2008)	345	469	0	432	588	0	3156	L	
AF 8230 12.9 (After 01/01/2008)	335	456	0	411	559	0	3175	L	
AF 9010 12.9 (After 01/01/2008)	465	632	0	523	711	0	3175	L	
AF 9120 12.9 (After 01/01/2008)	389	529	0	451	613	0	3175	L	
AF 9230 12.9 (After 01/01/2008)	372	506	0	458	623	0	3175	L	
CPX 420 8.3	194	264	0	245	333	0	3096	L	
CPX 620 8.3	254	345	0	320	435	0	3096	L	
CVX 1135 6.6 (From 01/01/2001 to 31/12/2016)	101	137	570	122	166	650	VP-T	LK	
CVX 1145 6.6 (From 01/01/2001 to 31/12/2016)	108	147	610	129	175	690	VP-T	LK	
CVX 1155 6.6 (From 01/01/2001 to 31/12/2016)	115	156	660	140	190	740	VP-T	LK	
CVX 1170 6.6 (From 01/01/2001 to 31/12/2016)	126	171	725	155	211	805	VP-T	LK	

CVX 1190 6.6 (From 01/01/2001 to 31/12/2016)	141	192	790	165	225	870	VP-T	LK
CVX 140 6.6 (From 01/01/2001 to 31/12/2016)	104	141	585	129	175	745	3178	L
CVX 150 6.6 (From 01/01/2001 to 31/12/2016)	111	151	630	138	187	770	3178	L
CVX 160 6.6 (From 01/01/2001 to 31/12/2016)	118	160	675	148	201	835	3178	L
CVX 175 6.6 (From 01/01/2001 to 31/12/2016)	129	175	745	160	218	940	3178	L
CVX 195 6.6 (From 01/01/2001 to 31/12/2016)	144	196	800	178	242	980	3178	L
CVX 370 8.7 (From 01/01/2001 to 31/12/2016)	270	367	1806	338	460	2260	3175	L
Farmall 105A/C 3.4 (After 01/09/2012)	79	107	0	100	136	0	3218	L
Farmall 105C 3.4 (After 01/09/2012)	79	107	0	100	136	0	3218	L
Farmall 105U 3.4 (After 01/09/2012)	79	107	0	100	136	0	3218	L
Farmall 115C-U 3.4 (After 01/09/2012)	86	117	0	104	142	0	3218	L
Farmall 115U 3.4 (After 01/09/2012)	84	114	0	105	143	0	3218	L
Farmall 75 3.4 (After 01/09/2012)	55	75	0	70	95	0	3218	L
Farmall 85C 3.4 (After 01/09/2012)	63	86	0	79	108	0	3218	L
Farmall 95C 3.4 (After 01/09/2012)	73	99	0	92	125	0	3218	L
Magnum 180 6.7 (After 01/01/1988)	134	182	0	168	228	0	3175	L
Magnum 190 6.7 (After 01/01/1988)	138	187	0	168	228	0	3262	L
Magnum 200 6.7 (After 01/01/1988)	149	203	0	187	254	0	3262	L
Magnum 210 6.7 (After 01/01/1988)	156	212	0	195	265	0	3175	L
Magnum 215 8.3 (After 01/01/1988)	131	178	1740	165	224	2091	3096	L
Magnum 220 6.7 (After 01/01/1988)	164	223	0	206	280	0	3262	L
Magnum 225 6.7 (After 01/01/1988)	168	228	0	212	288	0	3175	L
Magnum 225 8.3 (After 01/01/1988)	165	224	1117	208	283	1398	3096	L
Magnum 235 8.7 (After 01/01/1988)	173	235	1157	216	294	1448	3175	L
Magnum 240 6.7 FPT Tier 4B Final (After 01/01/1988)	179	243	0	224	304	0	3262	L
Magnum 245 8.3 CR (After 01/01/1988)	185	252	2002	232	315	2510	3096	L
Magnum 250 8.3 CR (After 01/01/1988)	185	252	1271	232	316	1590	3096	L
Magnum 250 8.7 (After 01/01/1988)	184	250	1407	232	316	1637	3285	T
Magnum 260 8.7 (After 01/01/1988)	189	257	1267	239	325	1585	3175	L
Magnum 275 8.3 CR (After 01/01/1988)	205	279	2226	257	350	2790	3096	L
Magnum 280 8.3 CR (After 01/01/1988)	205	279	1395	265	360	1745	3096	L
Magnum 280 8.7 (After 01/01/1988)	206	280	1558	254	346	1788	3285	T
Magnum 290 8.7 (After 01/01/1988)	209	284	1397	262	356	1748	3175	L
Magnum 310 8.7 (After 01/01/1988)	229	311	1708	277	377	1938	3285	T
Magnum 315 8.7 (After 01/01/1988)	229	311	1531	285	388	1915	3177	L
Magnum 340 8.7 Tier 4A (After 01/01/1988)	250	340	1671	313	426	2090	3175	L
Magnum 340 8.7 FPT Tier 4B Final (After 01/01/1988)	250	340	1800	299	406	2030	3285	T
Magnum 370 8.7 CVX (After 01/01/1988)	270	367	1806	338	460	2260	3175	L
Magnum 380 8.7 (After 01/01/1988)	279	379	1850	327	445	2080	3285	T
Maxxum 110 4.5 Tier 4A (After 01/10/2011)	81	110	0	101	137	0	3193	L
Maxxum 110 4.5 (After 01/01/1989)	82	112	520	103	140	650	3090	L
Maxxum 115 4.5 (After 01/01/1989)	85	116	528	99	134	607	3283	L
Maxxum 115 6.7 (After 01/10/2011)	85	116	682	121	165	680	3205	L

Maxxum 115 6.7 Iveco Cursor Tier 4A (After 01/01/1989)	86	117	0	109	148	0	3175	L
Maxxum 115 6.7 (After 01/01/1989)	86	117	543	122	166	680	3205	L
Maxxum 120 4.5 Tier 4A (After 01/10/2011)	81	110	0	101	137	0	3193	L
Maxxum 120 4.5 Tier 4A (After 01/01/1989)	89	121	0	111	151	0	3193	L
Maxxum 120 4.5 (After 01/01/1989)	89	121	563	111	151	704	3090	L
Maxxum 125 4.5 Tier 4B/Final (After 01/01/1989)	92	125	560	106	144	644	3283	L
Maxxum 125 6.7 (After 01/10/2011)	85	116	0	106	144	0	3175	L
Maxxum 125 6.7 (After 01/01/1989)	93	126	593	132	180	745	3205	L
Maxxum 130 4.5 (After 01/10/2011)	96	131	594	122	166	0	3090	L
Maxxum 130 4.5 Tier 4A (After 01/10/2011)	96	131	594	120	163	0	3193	L
Maxxum 135 4.5 Tier 4B/Final (After 01/01/1989)	99	135	605	114	155	696	3283	L
Maxxum 140 6.7 (After 01/01/1989)	103	140	613	135	184	770	3205	L
Maxxum 140 6.7 Tier 4A (After 01/10/2011)	103	140	613	129	176	770	3175	L
Maxxum 140 6.7 (After 01/01/1989)	104	141	613	135	184	770	3205	L
Maxxum 145 4.5 Tier 4B/Final (After 01/01/1989)	107	145	650	123	167	748	3283	L
Maxxum 150 6.7 (After 01/01/1989)	105	143	0	126	172	0	3262	L
Motor-Grader 885B	171	233	984	208	283	1134	3175	L
MX 255 8.3 (From 01/01/1999 to 31/12/2006)	192	261	1287	228	310	1510	3123	L
MX 270 8.3 (From 01/01/1999 to 31/12/2006)	205	279	1258	246	335	1535	3123	L
MX 285 8.3 (From 01/01/1999 to 31/12/2006)	211	287	1410	249	339	1684	3123	L
MXM 170 7.5 (From 01/01/2002 to 31/12/2007)	123	167	790	158	215	985	VP-T	LK
MXM 175 7.5 (From 01/01/2002 to 31/12/2007)	130	177	790	163	222	985	VP-T	LK
MXM 190 7.5 (From 01/01/2002 to 31/12/2007)	143	195	864	175	238	1070	VP-T	LK
MXU 110 4.5 Common Rail (From 01/01/2004 to 31/12/2006)	85	116	487	107	146	547	6101	E
MXU 125 6.7 Common Rail (From 01/01/2004 to 31/12/2006)	92	125	504	114	155	594	6101	E
MXU 135 6.7 Common Rail (From 01/01/2004 to 31/12/2006)	100	136	545	132	180	640	6101	E
Optum 270 6.7 CVX Tier 4B / Tier 4F (After 01/01/2015)	212	288	1194	243	331	1314	3262	L
Optum 300 6.7 CVX Tier 4B / Tier 4F (After 01/01/2015)	230	313	1282	263	358	1422	3262	L
Patriot 2250 6.7 FPT Tier 4B / Tier 4F	143	194	830	165	224	935	3262	L
Patriot 3230 6.7	171	233	0	206	280	0	3205	L
Patriot 3240 6.7	187	254	0	225	306	0	3262	L
Patriot 3320 6.7 Sprayer	175	238	0	217	295	0	3262	L
Patriot 3330 6.7	186	253	1070	232	316	1330	3175	L
Patriot 3340 6.7	212	288	0	256	348	0	3262	L
Patriot 4420 8.3 Caps Pump	216	294	1383	272	370	1730	3123	L
Patriot 4420 8.3 CR	216	294	1383	272	370	1730	3096	L
Patriot 4430 8.7	243	330	1470	305	415	1820	3175	L
Patriot 4440 8.7	275	374	1550	324	440	1780	3285	T
Puma 125 6.7 (After 01/11/2006)	120	163	0	145	197	0	3205	L
Puma 130 6.7 (After 01/11/2006)	93	126	631	122	166	790	3175	L
Puma 140 6.7 (After 01/11/2006)	129	175	640	157	213	800	3205	L
Puma 145 6.7 (After 01/11/2006)	138	188	689	172	234	831	3175	L
Puma 155 6.7 (After 01/11/2006)	142	193	690	172	234	860	3205	L

Puma 160 6.7 (After 01/11/2006)	149	203	0	181	246	0	3175	L	
Puma 165 6.7 (After 01/01/2014)	121	165	0	147	200	0	3262	L	
Puma 165 6.7 (After 01/11/2006)	123	167	770	154	209	950	3205	L	
Puma 170 6.7 (CVX) (After 01/11/2006)	123	167	825	154	210	1035	3175	L	
Puma 170 6.7 (After 01/11/2006)	160	218	0	192	261	0	3175	L	
Puma 180 6.7 (After 01/11/2006)	134	182	840	168	228	1050	3205	L	
Puma 185 6.7 (After 01/01/2014)	132	180	0	158	215	0	3262	L	
Puma 195 6.7 (After 01/11/2006)	145	197	860	181	246	1070	3205	L	
Puma 200 6.7 (After 01/01/2014)	147	200	0	176	240	0	3262	L	NEW
Puma 200 6.7 (CVX) (After 01/11/2006)	147	200	927	185	252	1160	3175	L	
Puma 210 6.7 (After 01/11/2006)	157	213	860	196	267	1080	3205	L	
Puma 215 6.7 (CVX) (After 01/11/2006)	158	215	995	199	270	1245	3175	L	
Puma 220 6.7 (After 01/11/2006)	164	223	0	197	268	0	3262	L	
Puma 225 6.7 (After 01/11/2006)	165	224	950	191	260	1145	3205	L	
Puma 230 6.7 (CVX) (After 01/11/2006)	167	227	1089	210	286	1365	3175	L	
Puma 240 6.7 (After 01/11/2006)	179	243	0	215	292	0	3262	L	
Steiger 350 8.7 (After 01/01/2011)	261	355	0	324	440	0	3175	L	
Steiger 370 8.7 (After 01/01/2014)	276	375	0	324	441	0	3285	T	
Steiger 380 12.9 (After 01/09/2007)	285	388	0	335	456	0	3175	L	
Steiger 385 12.9 (After 01/09/2007)	286	389	0	335	456	0	3175	L	
Steiger 400 12.9 (After 01/09/2010)	328	446	0	354	481	0	3175	L	
Steiger 420 12.9 (After 01/01/2014)	313	426	0	393	535	0	3259	L	
Steiger 435 12.9 (After 01/09/2007)	324	441	0	398	541	0	3175	L	
Steiger 450 12.9 Quadtrac (After 01/09/2007)	330	449	0	390	530	0	3175	L	
Steiger 450 12.9 (After 01/09/2010)	369	502	0	429	583	0	3175	L	
Steiger 485 12.9 Cursor (After 01/09/2007)	361	491	0	423	575	0	3175	L	
Steiger 500 12.9 Quadtrac (After 01/09/2007)	367	499	0	423	575	0	3175	L	
Steiger 500 12.9 (After 01/09/2007)	368	500	0	423	575	0	3175	L	
Steiger 500 12.9 (After 01/09/2007)	373	507	0	467	635	0	3259	L	
Steiger 540 12.9 Quadtrac (After 01/09/2007)	399	543	0	500	680	0	3259	L	
Steiger 550 12.9 Quadtrac (After 01/09/2007)	404	550	0	507	690	0	3259	L	
Steiger 550 12.9 (After 01/01/2011)	410	558	0	97	132	0	3259	L	
Steiger 580 12.9 Quadtrac (After 01/09/2007)	433	589	0	544	740	0	3259	L	
Steiger 600 12.9 Quadtrac (After 01/09/2007)	441	600	0	551	750	0	3259	L	
Steiger 600 12.9 (After 01/01/2011)	447	608	0	551	750	0	3529	L	
Steiger 620 12.9 (After 01/01/2014)	462	628	0	579	788	0	3259	L	
STX 380 12.9	285	388	0	335	456	0	3175	L	
STX 385 12.9	286	389	0	335	456	0	3175	L	
STX 435 12.9	324	441	0	398	541	0	3175	L	
STX 485 12.9 Cursor	361	491	0	423	575	0	3175	L	
STX Steiger 425 14.9	317	431	2162	367	499	2598	3162	L	
STX Steiger 450 14.9	456	620	2263	560	762	2650	3162	L	
STX Steiger 480 14.9	362	492	2000	434	590	2500	3162	L	

STX Steiger 530 14.9	399	543	2000	<b>480</b>	<b>653</b>	<b>2400</b>	3162	<b>L</b>	
STX Steiger 535 14.9	399	543	0	<b>480</b>	<b>653</b>	<b>0</b>	3162	<b>L</b>	
<b>Caterpillar</b>	<b>Series</b>			<b>Tuningbox</b>			<b>Code</b>	<b>Price</b>	<b>Installation</b>
	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>KW</b>	<b>HP</b>	<b>NM</b>			
TH336 CAT C 4.4 Acert	93	126	499	<b>110</b>	<b>150</b>	<b>600</b>	3070	<b>L</b>	
TH337 CAT C 4.4 Acert	93	126	499	<b>110</b>	<b>150</b>	<b>600</b>	3070	<b>L</b>	
TH406 CAT C 4.4 Acert	93	126	499	<b>110</b>	<b>150</b>	<b>600</b>	3070	<b>L</b>	
TH407 CAT C 4.4 Acert	93	126	499	<b>110</b>	<b>150</b>	<b>600</b>	3070	<b>L</b>	
<b>Challenger</b>	<b>Series</b>			<b>Tuningbox</b>			<b>Code</b>	<b>Price</b>	<b>Installation</b>
	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>KW</b>	<b>HP</b>	<b>NM</b>			
6xx 660B 8.4	223	303	0	<b>280</b>	<b>381</b>	<b>0</b>	3178	<b>L</b>	
6xx 670B 8.4	261	355	0	<b>328</b>	<b>446</b>	<b>0</b>	3178	<b>L</b>	
6xx 680B 12.5	317	431	0	<b>390</b>	<b>530</b>	<b>0</b>	3217	<b>L</b>	
MT 425B 4.4 VP 44	48	65	0	<b>60</b>	<b>82</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 425B 4.4 CR	48	65	0	<b>60</b>	<b>82</b>	<b>0</b>	3070	<b>L</b>	
MT 425B 4.4 VP44 (After 01/01/2011)	57	78	0	<b>60</b>	<b>82</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 425B 4.4 CR (After 01/01/2011)	68	92	0	<b>75</b>	<b>102</b>	<b>0</b>	3070	<b>L</b>	
MT 445B 4.4 CR	56	76	0	<b>70</b>	<b>95</b>	<b>0</b>	3070	<b>L</b>	
MT 445B 4.4 VP 44	56	76	0	<b>70</b>	<b>95</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 445B 4.4 VP44	57	78	0	<b>70</b>	<b>95</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 445B 4.4 CR (After 01/01/2011)	68	92	0	<b>70</b>	<b>95</b>	<b>0</b>	3070	<b>L</b>	
MT 455B CR (After 01/01/2011)	82	112	0	<b>96</b>	<b>131</b>	<b>0</b>	3070	<b>L</b>	
MT 455B 4.4 VP44 (After 01/01/2011)	62	84	0	<b>79</b>	<b>107</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 455B 4.4 CR	63	86	0	<b>79</b>	<b>107</b>	<b>0</b>	3070	<b>L</b>	
MT 455B 4.4 VP 44	63	86	0	<b>79</b>	<b>107</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 465B 4.4 CR	71	97	0	<b>89</b>	<b>121</b>	<b>0</b>	3070	<b>L</b>	
MT 465B 4.4 VP 44	71	97	0	<b>89</b>	<b>121</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 465B 4.4 VP44 (After 01/01/2011)	73	99	0	<b>89</b>	<b>121</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 465B 4.4 CR (After 01/01/2011)	84	114	0	<b>89</b>	<b>121</b>	<b>0</b>	3070	<b>L</b>	
MT 475B 6.0 VP 44	75	102	0	<b>94</b>	<b>128</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 475B 6.6 Acert	75	102	0	<b>95</b>	<b>129</b>	<b>0</b>	3071	<b>L</b>	
MT 525B 6.0 (After 01/01/2011)	83	113	0	<b>110</b>	<b>150</b>	<b>0</b>	VP-T	<b>L</b>	
MT 525B 6.6 Acert	75	102	0	<b>95</b>	<b>129</b>	<b>0</b>	3071	<b>L</b>	
MT 525B 6.6 VP 44	88	120	0	<b>110</b>	<b>150</b>	<b>0</b>	VP-T	<b>LK</b>	
MT 525B 6.6 Acert (After 01/01/2011)	90	122	0	<b>95</b>	<b>129</b>	<b>0</b>	3071	<b>L</b>	
MT 535B 6.0 VP 44	99	135	607	<b>124</b>	<b>169</b>	<b>759</b>	VP-T	<b>LK</b>	
MT 535B 6.6 Acert	82	112	0	<b>104</b>	<b>141</b>	<b>0</b>	3071	<b>L</b>	
MT 545B 6.0 VP 44	107	146	649	<b>134</b>	<b>182</b>	<b>811</b>	VP-T	<b>LK</b>	
MT 545B 6.6 Acert (After 01/01/2011)	90	122	0	<b>114</b>	<b>155</b>	<b>0</b>	3071	<b>L</b>	
MT 555B 6.0 VP44 (After 01/01/2011)	105	143	750	<b>148</b>	<b>201</b>	<b>938</b>	VP-T	<b>LK</b>	
MT 555B 6.6 Acert	97	132	0	<b>121</b>	<b>165</b>	<b>0</b>	3071	<b>L</b>	
MT 555B 6.6 VP 44	118	160	750	<b>148</b>	<b>201</b>	<b>938</b>	VP-T	<b>LK</b>	
MT 555B 6.6 Acert (After 01/01/2011)	128	174	0	<b>135</b>	<b>184</b>	<b>0</b>	3071	<b>L</b>	

MT 565B 6.0 VP44 (After 01/01/2011)	114	155	796	156	212	995	VP-T	LK
MT 565B 6.6 Acert	108	147	0	136	185	0	3071	L
MT 565B 6.6 VP 44	125	170	796	156	212	995	VP-T	LK
MT 565B 6.6 Acert (After 01/01/2011)	139	189	0	153	208	0	3071	L
MT 575B 6.6 Acert	119	162	0	149	203	0	3071	L
MT 575B 6.6 VP 44	136	185	841	170	231	1051	VP-T	LK
MT 575B 6.6 Acert (After 01/01/2011)	144	196	0	149	203	0	3071	LK
MT 575D 7.4	162	220	943	194	264	1163	3191	L
MT 575D 7.4 AutoPower VI (After 01/01/2011)	147	200	943	194	264	1163	3191	L
MT 585D 7.4 AutoPower VI	176	240	1030	206	280	1250	3191	L
MT 635B 7.4 VP44 (After 01/01/2011)	148	201	970	218	296	1215	VP-T	LK
MT 635B 7.4 VP 44	173	235	970	218	296	1215	VP-T	LK
MT 645B 7.4 VP44 (After 01/01/2011)	166	226	1071	240	326	1341	VP-T	LK
MT 645B 7.4	191	260	1071	174	236	1341	VP-T	LK
MT 645C 8.4	201	273	1185	240	327	1464	3178	L
MT 654D 8.4 (After 01/01/2011)	187	254	1195	249	338	1294	3191	L
MT 654D 8.4	199	270	1195	249	338	1294	3191	L
MT 655B 8.4 VP44 (After 01/01/2011)	188	256	1280	292	397	1600	VP-T	LK
MT 655B 8.4 VP 44	232	316	1280	292	397	1600	VP-T	LK
MT 655C 8.4	217	295	1310	271	369	1638	3191	L
MT 655C 8.4	220	299	1295	279	379	1598	3178	L
MT 655D 8.4	217	295	1310	271	369	1638	3191	L
MT 665B 8.4 VP 44	232	316	1280	290	394	1598	VP-T	LK
MT 665C 8.4	239	325	1400	293	399	1765	3178	L
MT 665D 8.4	235	320	1455	294	400	1819	3191	L
MT 675C 8.4	261	355	1492	323	439	1874	3178	L
MT 675D 8.4	257	350	1540	322	438	1925	3191	L
MT 685C 8.4	276	375	1540	335	455	1896	3178	L
MT 685D 8.4	271	369	1540	339	461	1925	3191	L
MT 745B 15.2 (After 01/01/2011)	540	735	0	401	545	0	3215	T
MT 745B 8.8 (After 01/01/2011)	200	272	0	244	332	0	3214	T
MT 745C 8.8 (After 01/01/2011)	216	294	1337	272	370	1675	3214	T
MT 755B 8.8 (After 01/01/2011)	224	305	0	268	365	0	3214	T
MT 755C 8.8 (After 01/01/2011)	249	339	1498	312	424	1800	3214	L
MT 755E 9.8	261	355	1685	327	445	2110	3280	T
MT 765B 8.8 (After 01/01/2011)	238	324	0	282	384	0	3214	T
MT 765C 8.8 (After 01/01/2011)	265	360	1586	331	450	1985	3214	T
MT 765D 8.4	261	355	0	326	443	0	3191	L
MT 765E 9.8	280	381	1808	353	480	2265	3280	T
MT 775E 9.8 (After 01/01/2011)	298	405	1921	375	510	2405	3280	T
MT 795C 18.1 (After 01/01/2011)	425	578	2828	533	725	3538	3215	T
MT 835B 15.2 (After 01/01/2011)	260	354	0	327	445	0	3215	T
MT 835C 15.2 Cat C15 Acert (After 01/01/2011)	257	350	1988	324	440	2485	3215	T

MT 845B 15.2 (After 01/01/2011)	298	405	0	375	510	0	3215	T	
MT 845C 15.2 Cat C15 Acert (After 01/01/2011)	353	480	2134	441	600	2670	3215	T	
MT 855B Cat C15 Acert (After 01/01/2011)	342	465	0	430	585	0	3215	T	
MT 855C Cat C15 Acert (After 01/01/2011)	377	513	2286	472	642	2860	3215	T	
MT 865B 18.1 (After 01/01/2011)	380	517	0	456	620	0	3215	T	
MT 865C 18.1 (After 01/01/2011)	386	525	2525	544	740	3160	3215	T	
MT 875B 18.1 (After 01/01/2011)	424	577	0	531	722	0	3215	T	
MT 875C 18.1 (After 01/01/2011)	454	617	2828	568	772	3538	3215	T	
MT 945B 15.2 (After 01/01/2011)	320	435	0	401	545	0	3215	T	
MT 945C 15.2 (After 01/01/2011)	321	437	2134	401	546	2670	3215	T	
MT 955B 15.2 (After 01/01/2011)	343	466	0	415	565	0	3215	T	
MT 955C 15.2 (After 01/01/2011)	343	466	2286	430	585	2860	3215	T	
MT 965B 18.1 (After 01/01/2011)	381	518	0	478	650	0	3215	T	
MT 965C 18.1 (After 01/01/2011)	381	518	2525	478	650	3160	3215	T	
MT 975B 18.1 (After 01/01/2011)	425	578	0	511	695	0	3215	T	
Rogator 1100 8.4 (From 01/01/2010 to 01/12/2016)	252	343	1455	429	584	1820	3191	L	
Rogator 1300 8.4 (From 01/01/2010 to 01/12/2016)	276	375	1539	346	470	1925	3191	L	
Rogator 618S 7.4 (From 01/01/2010 to 01/12/2016)	168	228	0	210	286	0	3196	L	
Rogator 645 7.4 (From 01/01/2010 to 01/12/2016)	153	208	0	191	260	0	3196	L	
Rogator 645B 7.4 (From 01/01/2010 to 01/12/2016)	153	208	0	191	260	0	3191	L	
Rogator 655 7.4 (From 01/01/2010 to 01/12/2016)	167	227	0	209	284	0	3196	L	
Rogator 655B 7.4 (From 01/01/2010 to 01/12/2016)	167	227	0	209	284	0	3191	L	
Rogator 700 4.9 (From 01/01/2010 to 01/12/2016)	123	167	560	154	209	690	3192	L	
Rogator 900 8.4 (From 01/01/2010 to 01/12/2016)	228	310	1310	288	392	1638	3191	L	
TerraGator 7300 8.4	269	366	1510	338	460	1890	3191	L	
TerraGator 8300 8.4	293	398	1540	368	500	1930	3191	L	
TerraGator 8333 8.4	246	334	1068	309	420	1335	3196	L	
TerraGator 8400 8.4	293	398	1540	368	500	1925	3191	L	
<b>Claas</b>									
	<b>Series</b>			<b>Tuningbox</b>					
	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>Code</b>	<b>Price</b>	<b>Installation</b>
Ares 546 4.5 (From 01/01/2003 to 01/12/2007)	72	98	368	79	108	442	STAN	L	
Ares 547 4.5 (From 01/01/2003 to 01/12/2007)	66	90	370	85	116	465	STAN	L	
Ares 556 4.5 (From 01/01/2003 to 01/12/2007)	78	106	415	90	122	500	STAN	L	
Ares 557 4.5 (From 01/01/2003 to 01/12/2007)	74	101	415	90	122	500	STAN	L	
Ares 566 4.5 (From 01/01/2003 to 01/12/2007)	81	110	430	96	131	516	STAN	L	
Ares 567 4.5 (From 01/01/2003 to 01/12/2007)	81	110	430	99	135	520	STAN	L	
Ares 577 4.5 (From 01/01/2003 to 01/12/2007)	88	120	485	110	150	585	STAN	L	
Ares 616 6.8 (From 01/01/2003 to 01/12/2007)	81	110	455	96	130	550	STAN	L	
Ares 617 6.8 (From 01/01/2003 to 01/12/2007)	81	110	460	96	130	555	STAN	L	
Ares 636 6.8 (From 01/01/2003 to 01/12/2007)	143	195	820	173	235	980	STAN	L	
Ares 656 6.8 (From 01/01/2003 to 01/12/2007)	92	125	530	114	155	640	STAN	L	
Ares 657 6.8 (From 01/01/2003 to 01/12/2007)	92	125	530	110	150	640	STAN	L	
Ares 696 6.8 (From 01/01/2003 to 01/12/2007)	104	141	585	130	177	705	STAN	L	



Ares 697 6.8 (From 01/01/2003 to 01/12/2007)	103	140	590	<b>125</b>	<b>170</b>	<b>710</b>	STAN	<b>L</b>
Ares 816 6.8 (From 01/01/2003 to 01/12/2007)	115	156	665	<b>140</b>	<b>190</b>	<b>800</b>	STAN	<b>L</b>
Ares 826 6.8 (From 01/01/2003 to 01/12/2007)	129	175	760	<b>158</b>	<b>215</b>	<b>915</b>	STAN	<b>L</b>
Ares 836 6.8 (From 01/01/2003 to 01/12/2007)	143	195	820	<b>170</b>	<b>231</b>	<b>985</b>	STAN	<b>L</b>
Arion 360C	107	146	630	<b>134</b>	<b>182</b>	<b>785</b>	3197	<b>L</b>
Arion 410 4.5 (After 01/01/2012)	63	86	405	<b>75</b>	<b>102</b>	<b>455</b>	3283	<b>L</b>
Arion 410 4.5	70	95	420	<b>81</b>	<b>110</b>	<b>490</b>	3077	<b>L</b>
Arion 420 4.5 (After 01/01/2012)	70	95	435	<b>84</b>	<b>114</b>	<b>485</b>	3283	<b>L</b>
Arion 420 4.5	77	105	465	<b>96</b>	<b>130</b>	<b>535</b>	3077	<b>L</b>
Arion 430 4.5 (After 01/01/2012)	77	105	480	<b>93</b>	<b>126</b>	<b>530</b>	3283	<b>L</b>
Arion 430 4.5	85	116	495	<b>104</b>	<b>141</b>	<b>565</b>	3077	<b>L</b>
Arion 440 4.5 (After 01/01/2012)	85	115	520	<b>101</b>	<b>138</b>	<b>570</b>	3283	<b>L</b>
Arion 450 4.5 (After 01/01/2012)	92	125	550	<b>110</b>	<b>150</b>	<b>600</b>	3283	<b>L</b>
Arion 460 4.5 (After 01/01/2012)	99	135	570	<b>119</b>	<b>162</b>	<b>620</b>	3283	<b>L</b>
Arion 510 4.5	81	110	477	<b>100</b>	<b>136</b>	<b>590</b>	3182	<b>L</b>
Arion 520 4.5	88	120	526	<b>110</b>	<b>150</b>	<b>654</b>	3182	<b>L</b>
Arion 530 4.5	96	130	540	<b>120</b>	<b>163</b>	<b>670</b>	3182	<b>L</b>
Arion 530 4.5 (After 01/01/2012)	103	140	581	<b>123</b>	<b>167</b>	<b>581</b>	3198	<b>L</b>
Arion 530 4.5	107	146	581	<b>136</b>	<b>185</b>	<b>730</b>	3198	<b>L</b>
Arion 540 4.5	99	135	585	<b>118</b>	<b>160</b>	<b>731</b>	3182	<b>L</b>
Arion 540 4.5 (After 01/01/2012)	110	150	618	<b>132</b>	<b>180</b>	<b>700</b>	3182	<b>L</b>
Arion 540 4.5	114	155	618	<b>143</b>	<b>195</b>	<b>775</b>	3198	<b>L</b>
Arion 550 4.5 (After 01/01/2012)	116	158	636	<b>136</b>	<b>185</b>	<b>800</b>	3198	<b>L</b>
Arion 550 4.5	120	163	636	<b>151</b>	<b>205</b>	<b>800</b>	3198	<b>L</b>
Arion 610 6.8	88	120	580	<b>118</b>	<b>160</b>	<b>725</b>	3118	<b>L</b>
Arion 610 6.8	99	135	640	<b>117</b>	<b>159</b>	<b>749</b>	3197	<b>L</b>
Arion 610C 6.8	88	120	527	<b>118</b>	<b>160</b>	<b>655</b>	3196	<b>L</b>
Arion 620 6.8	99	135	580	<b>135</b>	<b>184</b>	<b>710</b>	3118	<b>L</b>
Arion 620 6.8 (After 01/01/2012)	110	150	580	<b>146</b>	<b>199</b>	<b>710</b>	3118	<b>L</b>
Arion 620 6.8	116	158	659	<b>146</b>	<b>198</b>	<b>825</b>	3317	<b>L</b>
Arion 620 C 6.8	99	135	580	<b>135</b>	<b>184</b>	<b>710</b>	3197	<b>L</b>
Arion 630 6.8	107	146	633	<b>132</b>	<b>180</b>	<b>791</b>	3118	<b>L</b>
Arion 630 6.8	114	155	703	<b>135</b>	<b>183</b>	<b>823</b>	3197	<b>L</b>
Arion 630 6.8 (After 01/01/2012)	117	159	689	<b>147</b>	<b>200</b>	<b>862</b>	3317	<b>L</b>
Arion 630C 6.8	107	145	689	<b>132</b>	<b>179</b>	<b>849</b>	3164	<b>L</b>
Arion 630C 6.8	107	146	630	<b>134</b>	<b>182</b>	<b>785</b>	3197	<b>L</b>
Arion 640 6.8	114	155	657	<b>143</b>	<b>194</b>	<b>820</b>	3118	<b>L</b>
Arion 640 6.8 (After 01/01/2012)	124	169	657	<b>153</b>	<b>208</b>	<b>820</b>	3118	<b>L</b>
Arion 640 6.8	129	175	714	<b>162</b>	<b>220</b>	<b>895</b>	3317	<b>L</b>
Arion 640 6.8 Cebis	130	177	714	<b>159</b>	<b>216</b>	<b>877</b>	3317	<b>L</b>
Arion 650 6.8 (After 01/01/2012)	129	175	754	<b>163</b>	<b>221</b>	<b>943</b>	3317	<b>L</b>
Arion 650 6.8 Cebis	135	184	754	<b>163</b>	<b>222</b>	<b>944</b>	3317	<b>L</b>
Arion 650 6.8 DPS	129	175	833	<b>152</b>	<b>207</b>	<b>975</b>	3197	<b>L</b>

Axion 810 6.8	120	163	792	150	204	980	3118	L	
Axion 810 6.8	132	180	792	150	204	980	3118	L	
Axion 810 6.8 (After 01/01/2012)	151	205	896	177	241	1054	3262	L	
Axion 820 6.8	135	184	895	169	230	1100	3118	L	
Axion 820 6.8 (After 01/01/2012)	139	189	895	161	219	1100	3118	L	
Axion 830 6.8	144	196	905	180	245	1130	3118	L	
Axion 830 6.8	159	216	905	180	245	1130	3118	L	
Axion 830 6.8 (After 01/01/2012)	168	229	1016	193	263	1134	3262	L	
Axion 840 6.8	151	205	950	189	257	1180	3118	L	
Axion 840 6.8	159	216	950	189	257	1180	3118	L	
Axion 840 6.8	184	250	1071	231	314	1340	3262	L	
Axion 850 6.8	165	224	1020	206	280	1280	3118	L	
Axion 850 6.8	173	235	1020	206	280	1280	3118	L	
Axion 850 6.8 (After 01/01/2012)	184	250	1132	218	297	1332	3262	L	
Axion 870 (After 01/01/2012)	206	280	1276	242	329	1501	3262	L	
Axion 870 6.8 (After 01/01/2012)	195	265	1276	231	314	1501	3262	L	
Axion 920 8.7 (After 01/01/2012)	236	321	1350	296	402	1688	3175	L	
Axion 930 8.7	254	345	1450	324	440	1813	3175	L	
Axion 940 8.7 (After 01/01/2012)	276	375	1550	353	480	1938	3175	L	
Axion 950 8.7 (After 01/01/2012)	298	405	1650	383	521	2063	3175	L	
Celtis 426 4.5 (From 01/01/2003 to 01/12/2008)	54	73	280	66	90	340	STAN	L	
Celtis 436 4.5 (From 01/01/2003 to 01/12/2008)	60	82	335	73	99	400	STAN	L	
Celtis 446 4.5 (From 01/01/2003 to 01/12/2008)	67	91	370	80	109	440	STAN	L	
Celtis 456 4.5 (From 01/01/2003 to 01/12/2008)	75	102	415	90	122	470	STAN	L	
Challenger 85E 11.9	279	379	2100	315	428	2370	3311	T	
Elios 210 (After 01/01/2012)	55	75	309	68	93	365	3218	L	
Elios 220 (After 01/01/2012)	61	83	334	75	102	395	3218	L	
Elios 230 (After 01/01/2012)	67	91	366	82	111	434	3218	L	
Elios 240 (After 01/01/2012)	72	98	406	88	119	477	3218	L	
Jaguar 800 12.8	335	455	0	393	535	0	3102	T	
Jaguar 830 12.8	220	299	13	271	368	0	3102	T	
Jaguar 840 12.8	268	364	0	311	423	0	3102	T	NEW
Jaguar 850 12.8	303	412	0	364	495	0	3102	T	NEW
Jaguar 850 12.8	315	428	0	368	500	0	3102	T	NEW
Jaguar 850 12.8	340	462	0	385	523	0	3264	L	
Jaguar 860 12.8	379	516	0	429	584	0	3264	L	
Jaguar 860 16.0	350	476	0	403	548	0	3102	T	NEW
Jaguar 860 16.0	375	510	0	419	570	0	3102	T	NEW
Jaguar 870 15.6	430	585	2800	505	687	3294	3264	L	
Jaguar 870 15.6	440	598	0	491	668	0	3102	T	NEW
Jaguar 870 16.0	390	530	0	441	600	0	3102	T	NEW
Jaguar 890 16.0	373	507	0	438	596	0	3102	T	
Jaguar 900 16.0	458	623	0	525	714	0	3102	T	NEW

Jaguar 930 12.8	340	462	2250	<b>385</b>	<b>523</b>	<b>2543</b>	3264	<b>L</b>	<b>NEW</b>
Jaguar 940 12.8	379	516	0	<b>424</b>	<b>577</b>	<b>0</b>	3264	<b>L</b>	
Jaguar 940 16.0	333	453	0	<b>396</b>	<b>538</b>	<b>0</b>	3102	<b>T</b>	<b>NEW</b>
Jaguar 950 16.0	372	506	0	<b>438</b>	<b>596</b>	<b>0</b>	3102	<b>T</b>	
Jaguar 950 16.0	430	585	2800	<b>505</b>	<b>687</b>	<b>3294</b>	3264	<b>L</b>	
Jaguar 960 15.6	460	625	3000	<b>540</b>	<b>735</b>	<b>3530</b>	3264	<b>L</b>	
Jaguar 970 12.8	537	730	0	<b>645</b>	<b>877</b>	<b>0</b>	3102	<b>T</b>	
Jaguar 980 12.8	610	830	0	<b>734</b>	<b>998</b>	<b>0</b>	3102	<b>T</b>	
Lexion 470 8.8	235	320	0	<b>286</b>	<b>389</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 530 8.8	217	295	0	<b>261</b>	<b>355</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 540 8.8	217	295	0	<b>261</b>	<b>355</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 550 8.8	243	330	0	<b>287</b>	<b>390</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 570C 12.5	265	360	0	<b>313</b>	<b>426</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 580 16.0	316	430	0	<b>375</b>	<b>510</b>	<b>0</b>	3102	<b>T</b>	<b>NEW</b>
Lexion 580R 12.5	317	431	0	<b>390</b>	<b>530</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 585R 12.5	317	431	0	<b>390</b>	<b>530</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 590 12.5	317	431	0	<b>390</b>	<b>530</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 590R 12.5	317	431	0	<b>390</b>	<b>530</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 595R 12.5	343	466	0	<b>413</b>	<b>562</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 600 16.0 0	409	556	0	<b>428</b>	<b>582</b>	<b>0</b>	3102	<b>T</b>	<b>NEW</b>
Lexion 630 8.8 Acert	230	313	0	<b>290</b>	<b>394</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 640 8.8 Acert	205	279	0	<b>257</b>	<b>350</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 650 8.8 Acert	230	313	0	<b>290</b>	<b>394</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 660 8.8 Acert	261	355	0	<b>327</b>	<b>445</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 670 12.5	287	390	0	<b>342</b>	<b>465</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 730 10.7	239	325	0	<b>300</b>	<b>408</b>	<b>0</b>	3264	<b>L</b>	
Lexion 730P 10.7	260	354	0	<b>327</b>	<b>445</b>	<b>0</b>	3264	<b>L</b>	
Lexion 740 12.5	287	390	0	<b>55</b>	<b>75</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 740 8.8 Acert	317	431	9	<b>396</b>	<b>539</b>	<b>0</b>	3214	<b>T</b>	<b>NEW</b>
Lexion 750 12.5	317	431	0	<b>390</b>	<b>530</b>	<b>0</b>	3217	<b>T</b>	<b>NEW</b>
Lexion 770 15.6	430	585	0	<b>479</b>	<b>651</b>	<b>0</b>	3264	<b>L</b>	
Lexion 770 16.0	370	503	0	<b>429</b>	<b>583</b>	<b>0</b>	3102	<b>T</b>	<b>NEW</b>
Lexion 780 15.6 TERRA TRAC	460	625	0	<b>509</b>	<b>692</b>	<b>0</b>	3264	<b>L</b>	
Lexion 780 15.6	460	626	0	<b>509</b>	<b>692</b>	<b>0</b>	3264	<b>L</b>	<b>NEW</b>
Lexion 780 16.0	405	551	0	<b>464</b>	<b>631</b>	<b>0</b>	3102	<b>T</b>	<b>NEW</b>
Medion 330 6.4	162	220	0	<b>193</b>	<b>263</b>	<b>0</b>	3102	<b>T</b>	
Medion 340 6.4	180	245	0	<b>214</b>	<b>291</b>	<b>0</b>	3102	<b>T</b>	
Mega 350 6.4	162	220	0	<b>198</b>	<b>269</b>	<b>0</b>	3102	<b>T</b>	
Mega 360 6.4	180	245	0	<b>214</b>	<b>291</b>	<b>0</b>	3102	<b>T</b>	
Tucano 320 6.4	140	190	0	<b>173</b>	<b>235</b>	<b>0</b>	3102	<b>T</b>	
Tucano 330 6.4	177	241	0	<b>209</b>	<b>284</b>	<b>0</b>	3102	<b>T</b>	
Tucano 340 6.4	191	260	0	<b>225</b>	<b>306</b>	<b>0</b>	3102	<b>T</b>	
Tucano 430 6.4	177	241	0	<b>209</b>	<b>284</b>	<b>0</b>	3102	<b>T</b>	

Tucano 440 6.4	191	260	0	225	306	0	3102	T
Tucano 450 7.2	202	275	0	239	325	0	3102	T
Tucano 470 7.2	220	299	2300	246	335	2550	3102	T
Tucano 480 8.8 Acert	261	355	0	327	445	0	3214	T
Xerion 3300 8.8 TRAC ACERT	250	340	1500	262	356	1820	3214	T
Xerion 3800 8.8 TRAC ACERT	283	385	1620	297	404	1960	3214	T
Xerion 4000 10.7	308	419	2100	386	525	2630	3264	L
Xerion 4500 12.8 (After 01/01/2013)	352	479	2203	397	540	2640	3217	T
Xerion 5000 12.5	391	532	2353	429	584	2790	3217	T

Deutz	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
Agrocompact 100F 4.0	66	90	372	84	114	470	HSY201	L	
Agrocompact 75F 4.0	52	71	257	66	90	320	HSY201	L	
Agrocompact 90F 4.0	61	83	257	77	105	440	HSY201	L	
Agrofarm 420 4.0	73	99	380	88	120	460	HSY201	L	
Agrofarm 430 4.0	80	109	400	99	134	480	HSY201	L	
Agrofarm 510 4.0	74	101	400	92	125	480	HSY201	L	
Agrofarm TTV 410 4.0	70	95	380	90	122	460	HSY201	L	
Agrofarm TTV 420 4.0	75	102	400	92	125	480	HSY201	L	
Agrotron 100 4.0	65	88	396	94	128	500	HSY201	L	
Agrotron 106 4.8 MK3 (From 01/01/2001 to 01/12/2003)	75	102	0	96	130	0	HSY201	L	
Agrotron 110 4.8 MK3 (From 01/01/2001 to 01/12/2003)	79	107	0	95	129	0	HSY201	L	
Agrotron 110 6.4 MK3-K	81	110	417	110	150	525	HSY201	L	
Agrotron 1130 7.1 MK3 TTV	94	128	530	118	160	665	HSY201	L	
Agrotron 1145 7.1 MK3 TTV	105	143	567	132	180	712	HSY201	L	
Agrotron 115 4.8 MK3 (From 01/01/2001 to 01/12/2003)	86	117	0	103	140	0	HSY201	L	
Agrotron 1160 7.1 MK3-K TTV	113	154	615	142	193	770	HSY201	L	
Agrotron 118 6.1 MK4	88	120	512	103	140	600	HSY201	L	
Agrotron 120 6.4 MK3-K	87	118	476	120	163	600	HSY201	L	
Agrotron 120 MK3 (From 01/01/2001 to 01/12/2003)	92	125	0	118	160	0	HSY201	L	
Agrotron 130 6.1 MK3	88	120	512	119	162	642	HSY201	L	
Agrotron 130 7.1 MK4	94	128	0	123	167	0	HSY201	L	
Agrotron 140 7.1 MK4	105	143	0	132	180	0	HSY201	L	
Agrotron 150 6.1 MK3-K	110	150	590	139	189	740	HSY201	L	
Agrotron 150 7.1 MK3 (From 01/01/2001 to 01/12/2003)	110	150	588	139	189	740	HSY201	L	
Agrotron 165 7.1 MK3-K	125	170	660	157	214	830	HSY201	L	
Agrotron 175 7.1 MK3 (From 01/01/2001 to 01/12/2004)	129	175	775	162	220	970	HSY201	L	
Agrotron 180 7.1	120	163	775	145	197	940	HSY201	L	
Agrotron 200 7.1 MK3 (From 01/01/2001 to 01/12/2003)	147	200	865	185	252	1085	HSY201	L	
Agrotron 215 7.1 MK3	147	200	865	185	252	1085	HSY201	L	
Agrotron 230 7.1 MK3 (From 01/01/2001 to 01/12/2003)	169	230	928	213	290	1178	HSY201	L	
Agrotron 265 7.1 MK4	184	250	1028	232	315	1290	HSY201	L	
Agrotron 6150	104	141	605	129	176	756	3224	L	

Agrotron 6185 6.0 TTV Tier 4F	133	181	818	165	225	0	3281	T	
Agrotron 7210 6.1 TTV	137	186	806	172	234	1010	3224	L	
Agrotron 7230 6.1 TTV	150	204	870	190	258	1090	3224	L	
Agrotron 7250 6.1 TTV	174	237	934	219	298	1170	3224	L	
Agrotron 90 4.0	58	79	372	85	115	448	HSY201	L	
Agrotron 90 4.0	66	90	372	85	115	448	HSY201	L	
Agrotron K 410 4.0	65	88	382	85	115	472	HSY201	L	
Agrotron K 420 4.0	73	99	413	96	130	512	HSY201	L	
Agrotron K100 4.0	70	95	396	87	118	480	HSY201	L	
Agrotron K110 6.1	76	103	418	96	130	505	HSY201	L	
Agrotron K120 4.0	85	116	447	103	140	540	HSY201	L	
Agrotron K410 4.0	65	89	382	85	115	472	HSY201	L	
Agrotron K420 4.0	74	100	413	96	130	512	HSY201	L	
Agrotron K90 4.0	62	84	372	81	110	450	HSY201	L	
Agrotron M 600 (From 01/05/2009 to 01/12/2012)	104	141	599	119	162	690	3224	L	NEW
Agrotron M 610 (From 01/05/2009 to 01/12/2012)	110	150	806	126	172	690	3224	L	NEW
Agrotron M 615	107	146	599	126	171	690	3224	L	NEW
Agrotron M 620 (From 01/09/2007 to 01/12/2012)	122	166	659	143	194	755	3224	L	NEW
Agrotron M 625 (From 01/01/2007 to 01/12/2013)	122	166	659	143	194	755	3224	L	NEW
Agrotron M 640 (From 01/01/2007 to 01/12/2013)	133	181	717	154	210	817	3224	L	NEW
Agrotron M 650 (From 01/01/2007 to 01/12/2013)	141	192	749	165	224	852	3224	L	NEW
Agrotron TTV 430 (From 01/01/2011 to 01/12/2014)	104	141	599	119	162	690	3224	L	NEW
Serie 5 5090C 3.6	63	86	358	78	106	416	3315	L	
Serie 5 5100 (TTV) (After 01/02/2013)	70	95	397	85	116	461	3315	L	
Serie 5 5120 (TTV) (After 01/02/2013)	83	113	397	101	138	471	3315	L	
Serie 5 5130 (TTV) (After 01/02/2013)	88	120	397	108	147	474	3315	L	
Serie 5 5510 (TTV) (After 01/02/2013)	77	105	397	94	128	467	3315	L	
Serie 6 6180 6.1 TTV	123	167	740	154	210	930	3224	L	
Serie 6 6190 6.1 (After 01/01/2012)	135	184	820	170	231	1030	3224	L	
Serie 6 6120 TTV & Powershift	93	126	500	112	152	595	3315	L	
Serie 6 6130 TTV & Powershift	96	130	526	121	165	667	3315	L	
Serie 6 6140 TTV & Powershift	100	136	544	119	162	648	3315	L	
Serie 6 6150 6.1 TTV	101	137	605	128	174	760	3224	L	
Serie 6 6155 6.1 (After 01/01/2016)	115	156	663	137	186	791	3281	T	
Serie 6 6160 6.1	115	156	672	146	198	845	3224	L	
Serie 6 6165 6.1 (After 01/01/2016)	120	163	699	144	196	842	3281	T	
Serie 6 6175 6.1 (After 01/01/2016)	124	169	739	150	204	890	3281	T	
Serie 6 6185 6.1	133	181	818	165	225	958	3281	L	
Serie 6 6205 6.1	144	196	850	174	236	1024	3281	T	
Serie 6 6215 6.1	148	201	889	178	242	1071	3281	T	
Serie 7 7210 TTV (After 01/01/2012)	151	205	1000	182	247	1205	3224	L	
Serie 7 7230 TTV (After 01/01/2012)	162	220	1000	195	265	1205	3224	L	
Serie 7 7250 TTV (After 01/01/2012)	190	258	1000	229	311	1205	3224	L	

Fendt	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
5000 5180E 6.7	129	175	0	154	209	0	6101	E	
5000 5220E 6.7	166	226	0	188	256	0	6101	E	
5000 5250 E 6.7	184	250	0	210	285	0	6101	E	
5000 5250E/L 6.7	179	243	0	210	285	0	6101	E	
5000 5270C 7.4	202	275	0	251	341	0	3178	L	
5000 5275C 7.4	203	276	0	254	346	0	3191	L	
6000 6250E 6.7	179	243	0	205	279	0	6101	E	
6000 6270L 7.4	202	275	0	228	310	0	6101	E	
6000 6275L 7.4	203	276	0	254	346	0	3191	L	
6000 6300C 8.4	246	335	0	299	406	0	3178	L	
6000 6335C 8.4	265	360	0	331	450	0	3191	L	
8000 8370 P 8.4	278	378	0	311	423	0	3178	L	
8000 8370P 8.4	279	379	0	311	423	0	3178	L	
8000 8380P 8.4	279	379	0	350	476	0	3191	L	
8000 8400 P 8.4	282	384	0	335	455	0	3178	L	
8000 8400P 8.4	297	404	0	335	455	0	3178	L	
8000 8410P 8.4	297	404	0	372	506	0	3191	L	
9000 9300R 8.4	243	330	0	256	348	0	6101	E	
9000 9350R 8.4	279	380	0	287	390	0	6101	E	
9000 9460R 12.5	338	459	0	390	530	0	3217	T	
9000 9490X 9.8	365	496	0	460	625	0	3280	T	
Katana 65	460	625	3000	540	735	3530	3264	L	
Katana 65	480	653	0	588	800	0	3102	T	
Vario 207 3.3 (After 01/09/2010)	55	75	337	71	96	402	3107	L	
Vario 207 FA/VA 3.3 (After 01/09/2010)	51	70	295	63	86	360	3202	L	
Vario 208 3.3 (After 01/09/2010)	55	75	337	71	96	402	3107	L	
Vario 208 3.3	59	80	337	71	96	402	3202	L	
Vario 208 F/V 3.3 (After 01/09/2010)	51	70	295	63	86	360	3107	L	
Vario 208 FA/VA 3.3 (After 01/09/2010)	51	70	295	63	86	360	3202	L	
Vario 209 F/P/V 3.3 (After 01/09/2010)	66	90	373	79	107	440	3107	L	
Vario 209 FA/PA/VA 3.3 (After 01/09/2010)	66	90	373	79	107	440	3202	L	
Vario 210 3.3	74	100	408	87	118	480	3107-3202	L	
Vario 210 F/P/V 3.3 (After 01/09/2010)	66	90	373	79	107	440	3107	L	
Vario 210 FA/PA/VA 3.3 (After 01/09/2010)	66	90	373	79	107	440	3202	L	
Vario 211 3.3	81	110	458	95	129	533	3107-3202	L	
Vario 309 4.0 (After 01/10/2012)	70	95	407	85	115	467	3078	L	
Vario 309 4.0 (After 01/10/2012)	70	95	410	75	102	513	3201	L	
Vario 310 4.0	77	105	445	96	130	510	3078-3201	L	
Vario 311 4.0 (After 01/10/2012)	85	115	485	101	137	555	3078	L	
Vario 311 4.0 (After 01/10/2012)	85	115	505	93	126	632	3201	L	
Vario 312 4.0 (After 01/10/2012)	92	125	515	103	140	590	3078	L	

Vario 312 4.0 (After 01/10/2012)	92	125	550	<b>102</b>	<b>139</b>	<b>688</b>	3201	<b>L</b>
Vario 313 4.0 (After 01/09/2010)	98	133	590	<b>111</b>	<b>151</b>	<b>738</b>	3201	<b>L</b>
Vario 409 4.0	63	86	415	<b>82</b>	<b>111</b>	<b>520</b>	HSY201	<b>L</b>
Vario 410 4.0	74	101	479	<b>94</b>	<b>128</b>	<b>600</b>	HSY201	<b>L</b>
Vario 411 4.0	85	115	505	<b>96</b>	<b>130</b>	<b>580</b>	3078	<b>L</b>
Vario 412 4.0	88	120	550	<b>112</b>	<b>152</b>	<b>685</b>	HSY201	<b>L</b>
Vario 412 4.0	92	125	550	<b>103</b>	<b>140</b>	<b>630</b>	3078	<b>L</b>
Vario 413 4.0	99	135	589	<b>114</b>	<b>155</b>	<b>675</b>	3078	<b>L</b>
Vario 414 4.0	107	145	613	<b>121</b>	<b>165</b>	<b>702</b>	3075	<b>L</b>
Vario 415 4.0	114	155	657	<b>129</b>	<b>175</b>	<b>753</b>	3078	<b>L</b>
Vario 512 4.0 (After 01/07/2012)	92	125	0	<b>114</b>	<b>155</b>	<b>0</b>	3201	<b>L</b>
Vario 513 4.0	88	120	0	<b>121</b>	<b>165</b>	<b>0</b>	3201	<b>L</b>
Vario 513 4.0 (After 01/07/2012)	92	125	0	<b>114</b>	<b>155</b>	<b>0</b>	3201	<b>L</b>
Vario 514 4.0	99	135	589	<b>132</b>	<b>180</b>	<b>675</b>	3201	<b>L</b>
Vario 514 4.0 (After 01/07/2012)	109	148	600	<b>132</b>	<b>180</b>	<b>700</b>	3201	<b>L</b>
Vario 516 4.0 (After 01/07/2012)	121	165	650	<b>140</b>	<b>190</b>	<b>784</b>	3201	<b>L</b>
Vario 711 5.7	85	116	550	<b>107</b>	<b>146</b>	<b>690</b>	HSY201	<b>L</b>
Vario 712 6.0	96	130	571	<b>134</b>	<b>182</b>	<b>760</b>	3175	<b>L</b>
Vario 714 5.7	103	140	675	<b>130</b>	<b>177</b>	<b>832</b>	HSY201	<b>L</b>
Vario 714 6.1	107	145	640	<b>141</b>	<b>192</b>	<b>810</b>	3175	<b>L</b>
Vario 716 5.7	118	160	760	<b>149</b>	<b>203</b>	<b>955</b>	HSY201	<b>L</b>
Vario 716 6.1 (After 01/10/2011)	121	165	725	<b>136</b>	<b>185</b>	<b>907</b>	3224	<b>L</b>
Vario 724 6.1 Vario Tier 4F	162	220	1058	<b>202</b>	<b>275</b>	<b>1325</b>	3281	<b>T</b>
Vario 724 6.1	174	237	1058	<b>207</b>	<b>281</b>	<b>1160</b>	3224	<b>L</b>
Vario 724 6.1 SCR	162	220	1058	<b>204</b>	<b>277</b>	<b>1323</b>	3224	<b>L</b>
Vario 815 5.7	110	150	730	<b>140</b>	<b>190</b>	<b>905</b>	HSY201	<b>L</b>
Vario 817 5.7	121	165	780	<b>152</b>	<b>207</b>	<b>980</b>	HSY201	<b>L</b>
Vario 818 5.7	132	180	850	<b>165</b>	<b>225</b>	<b>1060</b>	HSY201	<b>L</b>
Vario 818 6.1	136	185	840	<b>167</b>	<b>227</b>	<b>980</b>	3175	<b>L</b>
Vario 819 6.1 (After 01/09/2010)	147	200	863	<b>185</b>	<b>252</b>	<b>1100</b>	3224	<b>L</b>
Vario 820 6.1	152	207	895	<b>182</b>	<b>248</b>	<b>1033</b>	3175	<b>L</b>
Vario 822 6.1	147	200	960	<b>206</b>	<b>280</b>	<b>1200</b>	3281	<b>T</b>
Vario 822 6.1 (After 01/09/2010)	162	220	955	<b>192</b>	<b>261</b>	<b>1060</b>	3224	<b>L</b>
Vario 824 6.1	174	237	1054	<b>221</b>	<b>300</b>	<b>1320</b>	3281	<b>T</b>
Vario 824 6.1	176	240	1040	<b>206</b>	<b>280</b>	<b>1145</b>	3224	<b>L</b>
Vario 824 6.1 SCR	174	237	1040	<b>206</b>	<b>280</b>	<b>1145</b>	3224	<b>L</b>
Vario 826 6.1	188	256	1125	<b>239</b>	<b>325</b>	<b>1410</b>	3281	<b>L</b>
Vario 826 6.1	191	260	1210	<b>241</b>	<b>328</b>	<b>1513</b>	3224	<b>L</b>
Vario 828 6.1	203	276	1217	<b>257</b>	<b>350</b>	<b>3281</b>	3281	<b>T</b>
Vario 828 6.1 (After 01/09/2010)	206	280	1210	<b>236</b>	<b>321</b>	<b>1320</b>	3224	<b>L</b>
Vario 916 6.9	132	180	825	<b>158</b>	<b>215</b>	<b>990</b>	VP-T	<b>LK</b>
Vario 920 6.9	154	210	960	<b>185</b>	<b>252</b>	<b>1152</b>	VP-T	<b>LK</b>
Vario 922 7.1 (After 01/10/2013)	162	220	913	<b>178</b>	<b>242</b>	<b>1050</b>	3069	<b>L</b>

Vario 924 6.9	176	239	1045	<b>210</b>	<b>286</b>	<b>1254</b>	VP-T	<b>LK</b>
Vario 924 7.1	154	210	1000	<b>218</b>	<b>296</b>	<b>1260</b>	3069	<b>L</b>
Vario 924 7.8 SCR	154	210	1049	<b>193</b>	<b>262</b>	<b>1312</b>	3224	<b>L</b>
Vario 926 6.9	199	270	1180	<b>231</b>	<b>314</b>	<b>1390</b>	VP-T	<b>LK</b>
Vario 927 7.1 (After 01/10/2013)	199	270	1100	<b>218</b>	<b>297</b>	<b>1260</b>	3069	<b>L</b>
Vario 927 7.8	194	264	1116	<b>221</b>	<b>301</b>	<b>1395</b>	3224	<b>L</b>
Vario 930 6.9	221	301	1280	<b>265</b>	<b>360</b>	<b>1580</b>	VP-T	<b>LK</b>
Vario 930 7.1 (After 01/10/2013)	220	299	1218	<b>265</b>	<b>360</b>	<b>1536</b>	3069	<b>L</b>
Vario 930 7.8	199	270	1234	<b>229</b>	<b>312</b>	<b>1400</b>	3224	<b>L</b>
Vario 930 7.8	217	295	1234	<b>229</b>	<b>312</b>	<b>1400</b>	3224	<b>L</b>
Vario 933 7.1	221	300	1310	<b>290</b>	<b>394</b>	<b>1590</b>	3069	<b>L</b>
Vario 933 7.1 (After 01/10/2013)	242	329	1480	<b>244</b>	<b>332</b>	<b>1820</b>	3069	<b>L</b>
Vario 933 7.8	221	300	1326	<b>265</b>	<b>360</b>	<b>1660</b>	3224	<b>L</b>
Vario 936 7.1	265	360	1482	<b>301</b>	<b>410</b>	<b>1670</b>	3069	<b>L</b>
Vario 936 7.8 SCR	261	355	1326	<b>304</b>	<b>413</b>	<b>1660</b>	3224	<b>L</b>
Vario 939 7.8 (After 01/10/2013)	287	390	1547	<b>299</b>	<b>407</b>	<b>1750</b>	3224	<b>L</b>

<b>Holmer</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			

Terra Variant 600 16.0	450	612	2700	<b>540</b>	<b>734</b>	<b>3260</b>	3102	<b>T</b>
Terra Variant 500 12.8	360	489	2200	<b>432</b>	<b>588</b>	<b>2640</b>	3102	<b>T</b>

<b>HSM</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			

805S 4.5	104	141	608	<b>125</b>	<b>170</b>	<b>710</b>	3090	<b>L</b>
904S 6.7	135	184	1020	<b>160</b>	<b>218</b>	<b>1220</b>	6101	<b>E</b>

<b>Huerlimann</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			

XA. 56 3.0	52	71	205	<b>66</b>	<b>90</b>	<b>258</b>	HSY201	<b>L</b>
XA. 66 3.0	67	91	260	<b>85</b>	<b>115</b>	<b>330</b>	HSY201	<b>L</b>
XA. 76 4.0	70	95	257	<b>0</b>	<b>0</b>	<b>120</b>	HSY201	<b>L</b>
XA. 86 4.0	83	113	348	<b>105</b>	<b>143</b>	<b>440</b>	HSY201	<b>L</b>
XL. 130 6.0	93	126	515	<b>118</b>	<b>160</b>	<b>646</b>	HSY201	<b>L</b>
XL. 150 6.0	110	150	590	<b>139</b>	<b>189</b>	<b>738</b>	HSY201	<b>L</b>
XL. 150.7 7.1	110	150	556	<b>139</b>	<b>189</b>	<b>695</b>	HSY201	<b>L</b>
XL. 165.7 7.1	125	170	685	<b>158</b>	<b>215</b>	<b>855</b>	HSY201	<b>L</b>
XL. 180.7 7.1	125	170	755	<b>158</b>	<b>215</b>	<b>945</b>	HSY201	<b>L</b>
XM. 100 4.0	74	101	396	<b>95</b>	<b>129</b>	<b>495</b>	HSY201	<b>L</b>
XM. 110 6.0	81	110	418	<b>103</b>	<b>140</b>	<b>525</b>	HSY201	<b>L</b>
XM. 120 4.0	88	120	477	<b>110</b>	<b>150</b>	<b>598</b>	HSY201	<b>L</b>
XS. 100 4.0	66	90	377	<b>85</b>	<b>116</b>	<b>475</b>	HSY201	<b>L</b>
XS. 70 3.0	50	68	260	<b>63</b>	<b>86</b>	<b>325</b>	HSY201	<b>L</b>
XS. 75 4.0	52	71	257	<b>65</b>	<b>88</b>	<b>321</b>	HSY201	<b>L</b>
XS. 90 4.0	61	83	348	<b>76</b>	<b>103</b>	<b>435</b>	HSY201	<b>L</b>



<b>Hurlimann</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
XA 56 3.0	52	71	205	<b>66</b>	<b>90</b>	<b>258</b>	HSY201	<b>L</b>	
XA 66 3.0	67	91	260	<b>85</b>	<b>115</b>	<b>330</b>	HSY201	<b>L</b>	
XA 76 4.0	70	95	257	<b>88</b>	<b>120</b>	<b>325</b>	HSY201	<b>L</b>	
XA 86 4.0	83	113	348	<b>105</b>	<b>143</b>	<b>440</b>	HSY201	<b>L</b>	
XL 130 6.0	93	126	515	<b>118</b>	<b>160</b>	<b>645</b>	HSY201	<b>L</b>	
XL 150 6.0	110	150	590	<b>139</b>	<b>189</b>	<b>738</b>	HSY201	<b>L</b>	
XL 150.7 7.1	110	150	556	<b>139</b>	<b>189</b>	<b>695</b>	HSY201	<b>L</b>	
XL 165.7 7.1	125	170	685	<b>158</b>	<b>215</b>	<b>855</b>	HSY201	<b>L</b>	
XL 180.7 7.1	125	170	755	<b>158</b>	<b>215</b>	<b>945</b>	HSY201	<b>L</b>	
XM 100 4.0	74	101	396	<b>95</b>	<b>129</b>	<b>495</b>	HSY201	<b>L</b>	
XM 110 6.0	81	110	418	<b>103</b>	<b>140</b>	<b>525</b>	HSY201	<b>L</b>	
XM 120 4.0	88	120	477	<b>110</b>	<b>150</b>	<b>598</b>	HSY201	<b>L</b>	
XS 100 4.0	66	90	377	<b>85</b>	<b>116</b>	<b>475</b>	HSY201	<b>L</b>	
XS 70 3.0	50	68	260	<b>63</b>	<b>86</b>	<b>325</b>	HSY201	<b>L</b>	
XS 75 4.0	52	71	257	<b>65</b>	<b>88</b>	<b>321</b>	HSY201	<b>L</b>	
XS 90 4.0	61	83	348	<b>76</b>	<b>103</b>	<b>435</b>	HSY201	<b>L</b>	
<b>JCB</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
Agricultural Wheeled Loaders 416S Agri 6.7	119	162	732	<b>150</b>	<b>204</b>	<b>800</b>	6101	<b>E</b>	
Fastrac 2140 5.9	106	144	597	<b>136</b>	<b>185</b>	<b>706</b>	VP-T	<b>LK</b>	
Fastrac 2155 6.7 (After 01/01/2010)	118	160	640	<b>150</b>	<b>204</b>	<b>800</b>	6101	<b>E</b>	
Fastrac 2170 6.7 (After 01/01/2010)	125	170	675	<b>160</b>	<b>218</b>	<b>850</b>	6101	<b>E</b>	
Fastrac 3170 5.9	129	175	786	<b>149</b>	<b>203</b>	<b>933</b>	VP-T	<b>LK</b>	
Fastrac 3190 5.9	132	180	750	<b>168</b>	<b>228</b>	<b>890</b>	VP-T	<b>LK</b>	
Fastrac 3200 6.7	143	194	760	<b>177</b>	<b>241</b>	<b>940</b>	6101	<b>E</b>	
Fastrac 3200 7.4 (After 01/01/2010)	142	193	960	<b>180</b>	<b>245</b>	<b>1210</b>	3191	<b>L</b>	
Fastrac 3220 5.9	164	223	823	<b>191</b>	<b>260</b>	<b>970</b>	VP-T	<b>LK</b>	
Fastrac 3230 6.7	162	220	835	<b>198</b>	<b>269</b>	<b>1010</b>	6101	<b>E</b>	
Fastrac 3230 7.4	164	223	1015	<b>206</b>	<b>280</b>	<b>1275</b>	3191	<b>L</b>	
Fastrac 7170 6.7	129	175	800	<b>163</b>	<b>221</b>	<b>985</b>	6101	<b>E</b>	
Fastrac 7200 6.7	142	193	930	<b>174</b>	<b>237</b>	<b>1145</b>	6101	<b>E</b>	
Fastrac 7230 6.7	164	223	950	<b>206</b>	<b>280</b>	<b>1190</b>	6101	<b>E</b>	
Fastrac 7270 6.7	194	264	990	<b>230</b>	<b>313</b>	<b>1200</b>	6101	<b>E</b>	
Fastrac 8250 8.3	194	264	1180	<b>244</b>	<b>332</b>	<b>1430</b>	6101	<b>E</b>	
Fastrac 8280 8.4 (After 01/01/2010)	188	256	960	<b>214</b>	<b>291</b>	<b>1210</b>	3191	<b>L</b>	
Fastrac 8310 8.4 (After 01/01/2010)	206	280	1015	<b>203</b>	<b>276</b>	<b>1273</b>	3191	<b>L</b>	
<b>John Deere</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
1200 Serie 1270D 9.0	160	218	1100	<b>200</b>	<b>272</b>	<b>1375</b>	3097	<b>L</b>	
1200 Serie 1270E 9.0	170	231	1125	<b>213</b>	<b>290</b>	<b>1406</b>	3097	<b>L</b>	
1400 Serie 1470 6.8	151	206	0	<b>190</b>	<b>258</b>	<b>0</b>	3249	<b>L</b>	

1400 Serie 1470D 9.0	179	244	0	225	306	0	3097	L
1400 Serie 1470E 9.0	190	258	1250	238	324	1565	3097	L
1500 Serie 1570 6.8	196	266	0	234	318	0	3249	L
3000 Serie 3248 4.5	59	80	0	77	105	0	3077	L
3000 Serie 3510 8.1 4V	248	337	0	298	405	0	3197	L
3000 Serie 3520 9.0 4V	276	375	0	331	450	0	3097	L
4000 Serie 4045 4.5	82	112	417	99	135	487	3077	L
4000 Serie 4045 4.5	85	116	498	102	139	608	3182	L
4000 Serie 4730 6.8 Sprayer	165	225	0	225	306	0	3196	L
4000 Serie 4830 6.8 Sprayer	202	275	0	255	347	0	3196	L
4000 Serie 4930 9.0 Sprayer	239	325	0	290	394	0	3097	L
4000 Serie 4940 9.0 Sprayer	252	343	0	298	405	0	3164	L
4000 Serie 4940 9.0 Sprayer	254	345	0	307	418	0	3196	L
4000 Serie R4030 6.8	209	284	0	262	356	0	3317	L
4000 Serie R4038 9.0	231	314	0	290	394	0	3164	L
4000 Serie R4045 9.0	324	440	0	324	440	0	3164	L
500 Serie 514 Vario 4.0	99	135	600	132	180	700	3201	L
500 Serie 540G-III 6.8	95	129	0	118	160	0	STAN	L
500 Serie 540H 6.8	109	148	540	131	178	870	3196	L
500 Serie T550 6.8	217	295	0	279	380	0	3164 - 3249 - 3317	L
500 Serie T550i 6.8	217	295	0	272	370	0	3317	L
500 Serie T560 9.0	260	354	0	325	442	0	3097	L
500 Serie W540 6.8	191	260	0	235	320	0	3196	L
500 Serie W550 6.8	224	305	0	276	375	0	3196	L
5000 Serie 5080R 4.5	59	80	334	74	100	400	3077	L
5000 Serie 5085M 4.5	63	86	356	75	102	401	3198	L
5000 Serie 5090R 4.5	67	91	0	85	115	0	3077	L
5000 Serie 5100M 4.5 (After 01/03/2011)	73	99	418	85	115	463	3198	L
5000 Serie 5100R 4.5	74	101	0	92	125	0	3077	L
5000 Serie 5115M 4.5 (After 01/01/2013)	63	85	480	74	101	525	3198	L
5000 Serie 5255L 6.6	179	243	0	221	300	0	3171	L
5000 Serie 5430i 6.8	158	215	0	195	265	0	3196	L
600 Serie 648G-III	128	174	706	151	205	956	3080	L
600 Serie C670 9.0	275	374	0	375	510	0	3097	L
600 Serie S650 9.0	220	299	0	276	375	0	3164	L
600 Serie S660 9.0	239	325	0	288	392	0	3164	L
600 Serie S660 9.0	249	339	0	313	425	0	3164	L
600 Serie S660i 9.0	239	325	0	288	391	0	3164	L
600 Serie S660i 9.0	249	339	0	299	407	0	3164	L
600 Serie S670 9.0	278	378	0	349	475	0	3164	L
600 Serie S670 9.0	292	397	0	366	498	0	3164	L
600 Serie S670 9.0	299	407	0	375	510	0	3164	L
600 Serie S670i 9.0	249	339	0	300	408	0	3164	L

600 Serie S670i 9.0	278	378	0	335	455	0	3164	L
600 Serie S670i 9.0	292	397	0	353	480	0	3164	L
600 Serie S670i 9.0	299	407	0	359	488	0	3164	L
600 Serie S680 13.5	353	480	0	445	605	0	3190	L
600 Serie S690 13.5	404	550	0	506	688	0	3190	L
600 Serie S690i 13.5	394	536	0	495	673	0	3081	L
600 Serie T660 9.0	260	354	0	325	442	0	3097	L
600 Serie T660 9.0 Tier 3B	273	371	0	342	465	0	3164	L
600 Serie T670 9.0 Tier 3B	278	378	0	349	475	0	3164	L
600 Serie T670 9.0	299	407	0	374	509	0	3097	L
600 Serie W650 9.0	250	340	0	300	408	0	3097	L
600 Serie W660 9.0	273	371	0	330	449	0	3097	L
6000 Serie 6090 9.0	190	258	1250	239	325	1565	3164	L
6000 Serie 6090 9.0 1270 E IT4	170	231	1125	213	290	1406	3164	L
6000 Serie 6090MC 4.5 (After 01/09/2013)	66	90	406	80	109	493	3198	L
6000 Serie 6090MC 4.5	70	95	406	90	122	510	3198	L
6000 Serie 6090RC 4.5 (After 01/09/2013)	66	90	406	80	109	493	3198	L
6000 Serie 6090RC 4.5	70	95	406	90	122	510	3198	L
6000 Serie 6100 MC/RC 4.5 (After 01/09/2013)	74	100	0	97	132	560	3198	L
6000 Serie 6100RC 4.5	78	106	452	97	132	560	3198	L
6000 Serie 6105M 4.5 (After 01/08/2012)	77	105	474	101	138	580	3198	L
6000 Serie 6105R 4.5 (After 01/01/2012)	77	105	492	92	125	620	3198	L
6000 Serie 6110M/R 4.5 (After 01/09/2013)	81	110	474	101	138	580	3198	L
6000 Serie 6110MC/RC 4.5 (After 01/09/2013)	81	110	480	109	148	605	3198	L
6000 Serie 6110RC 4.5	86	117	480	109	148	605	3198	L
6000 Serie 6115M 4.5 (After 01/08/2012)	85	115	519	112	152	633	3198	L
6000 Serie 6115M 4.5	89	121	519	112	152	633	3198	L
6000 Serie 6115R 4.5 (After 01/01/2012)	85	115	538	103	140	670	3198	L
6000 Serie 6120 4.5 SE	59	80	264	72	98	325	STAN	L
6000 Serie 6120M/R 4.5	88	120	542	110	150	595	3198	L
6000 Serie 6125M 4.5	97	132	564	119	162	710	3198	L
6000 Serie 6125R 4.5	92	125	585	110	149	710	3198	L
6000 Serie 6130 4.5 CR 2V	59	80	0	77	105	0	3077	L
6000 Serie 6130 4.5 CR 4V Premium	59	80	0	75	102	0	3182	L
6000 Serie 6130M 4.5	100	136	587	122	166	702	3198	L
6000 Serie 6130R 4.5	96	131	609	117	159	725	3198	L
6000 Serie 6140M 4.5 (After 01/08/2012)	103	140	640	136	185	788	3198	L
6000 Serie 6140M 4.5	108	147	640	136	185	788	3198	L
6000 Serie 6140R 6.8	103	140	656	143	195	900	3164	L
6000 Serie 6145R 6.8	107	146	0	132	180	0	3317	L
6000 Serie 6150M 6.8 (After 01/08/2012)	110	150	677	146	198	848	3317	L
6000 Serie 6150M 6.8	116	158	677	146	198	848	3164	L
6000 Serie 6150R 6.8 (After 01/01/2012)	110	150	702	138	188	878	3164	L

6000 Serie 6155R 6.8	114	155	0	140	190	0	3317	L
6000 Serie 6170M 6.8 Tier 4	129	175	768	162	220	962	3164	L
6000 Serie 6170M/R 6.8 (After 01/08/2012)	125	170	768	156	212	980	3317	L
6000 Serie 6175R 6.8	130	177	817	163	221	1022	3317	L
6000 Serie 6190R 6.8 (After 01/01/2012)	140	190	800	176	240	1114	3164	L
6000 Serie 6195R 6.8	143	194	910	179	243	1140	3164	L
6000 Serie 6210R 6.8 Tier 3B/4i	154	209	983	195	265	1230	3164	L
6000 Serie 6210R 6.8 (After 01/10/2011)	154	210	983	195	265	1230	3317	L
6000 Serie 6215R 6.8 (After 01/10/2006)	158	215	1004	201	274	1260	3164	L
6000 Serie 6215R 6.8 Tier 4f	160	218	1004	201	274	1260	3294	L
6000 Serie 6230 4.5 Tier 3A	70	95	525	97	132	733	3077	L
6000 Serie 6230 4.5 CR 2V	67	91	382	85	116	440	3077	L
6000 Serie 6230 4.5 CR 4V Premium	70	95	430	90	122	542	3182	L
6000 Serie 6320 4.5 CR	74	101	330	93	126	410	3110	L
6000 Serie 6320 4.5 SE	74	101	411	95	129	490	STAN	L
6000 Serie 6330 4.5 CR 2V	74	101	424	93	126	505	3077	L
6000 Serie 6330 4.5 CR 4V Premium	77	105	471	99	134	581	3182	L
6000 Serie 6410 6.8	77	105	0	96	130	0	VP-T	LK
6000 Serie 6420 4.5 CR	81	110	370	101	137	440	3110	L
6000 Serie 6420 4.5 CR	88	120	476	110	150	560	3110	L
6000 Serie 6420 4.5 DE	88	120	0	110	150	0	STAN	L
6000 Serie 6420 4.5 VP	81	110	0	97	132	0	VP-T	LK
6000 Serie 6430 4.5 CR 2V	82	112	466	101	137	560	3077	L
6000 Serie 6430 4.5 CR 4V Premium	85	116	498	102	139	608	3182	L
6000 Serie 6520 6.8 CR	85	116	462	102	139	560	3196	L
6000 Serie 6520 6.8 SE	85	116	450	103	140	545	STAN	L
6000 Serie 6520 6.8 VP	92	125	0	115	156	0	VP-T	LK
6000 Serie 6530 6.8 CR 2V	85	116	485	104	141	572	3197	L
6000 Serie 6530 6.8 CR 4V Premium	85	116	504	111	151	600	3196	L
6000 Serie 6534 4.5 CR 2V	92	125	518	110	150	588	3077	L
6000 Serie 6534 4.5 CR 4V Premium	92	125	518	115	156	650	3182	L
6000 Serie 6620 6.8 CR	92	125	531	115	156	635	3196	L
6000 Serie 6620 6.8 VP	92	125	0	115	156	0	VP-T	LK
6000 Serie 6630 6.8 CR 2V	93	126	527	118	160	630	3197	L
6000 Serie 6630 6.8 CR 4V Premium	92	125	550	115	156	660	3196	L
6000 Serie 6750 12.5	290	395	0	349	475	0	3081	L
6000 Serie 6810 6.8 VP	92	125	561	115	156	701	VP-T	LK
6000 Serie 6820 6.8 CR	99	135	618	124	169	725	3196	L
6000 Serie 6820 6.8 VP	99	135	0	124	169	0	VP-T	LK
6000 Serie 6830 6.8 CR 2V	99	135	625	120	163	740	3197	L
6000 Serie 6830 6.8 CR 4V Premium	99	135	646	121	165	785	3196	L
6000 Serie 6850 12.5	353	480	0	412	560	0	3081	L
6000 Serie 6910 6.8 S VP	110	150	0	138	188	0	VP-T	LK

6000 Serie 6920 6.8 CR	110	150	686	149	203	805	3196	L
6000 Serie 6920 6.8 S CR	118	160	684	147	200	805	3196	L
6000 Serie 6920 6.8 S VP	118	160	0	147	200	0	VP-T	LK
6000 Serie 6920 6.8 VÃP	110	150	0	138	188	0	VP-T	LK
6000 Serie 6930 6.8 CR 2V	110	150	695	137	186	805	3197	L
6000 Serie 6930 6.8 CR 4V	110	150	715	136	185	850	3196	L
6000 Serie 6950 12.5	372	506	0	465	632	0	3081	L
7000 Serie 7130 6.8 2V	75	102	0	95	129	0	3197	L
7000 Serie 7130 6.8 4V Premium	75	102	0	95	129	0	3196	L
7000 Serie 7200 8.1	208	283	0	248	337	0	3197	L
7000 Serie 7200R 6.8 Tier 3B	149	203	936	188	255	1172	3164	L
7000 Serie 7200R 6.8 Tier 4	149	203	936	188	255	1172	3164	L
7000 Serie 7210R 6.8 Tier 4f	155	211	983	194	264	1230	3164	L
7000 Serie 7215R 6.8 Tier 3B	160	218	1007	202	275	1260	3164	L
7000 Serie 7215R 6.8 Tier 4	160	218	1007	200	272	1260	3164	L
7000 Serie 7230 6.8 2V Premium	82	112	0	102	139	0	3197	L
7000 Serie 7230 6.8 4V Premium	82	112	0	102	139	0	3196	L
7000 Serie 7230R 6.8 Tier 4i	169	230	1077	215	293	1350	3164	L
7000 Serie 7230R 6.8 Tier 4f	169	230	1077	212	288	1350	3164	L
7000 Serie 7230R 9.0 Tier 4	169	230	1077	228	310	1192	3164	L
7000 Serie 7230R 9.0 PowerTech Plus 6090	190	258	1250	217	295	1350	3164	L
7000 Serie 7230R 9.0 PVX Tier 3B/4i	171	233	0	171	233	0	3164	L
7000 Serie 7250 9.0 Tier 3	281	382	0	336	457	0	3097	L
7000 Serie 7250R 6.8 Tier 4f	169	230	1077	212	288	1348	3164	L
7000 Serie 7250R 6.8 Tier 4i	184	250	1171	232	315	1465	3164	L
7000 Serie 7260R 9.0 Tier 4	191	260	1217	246	335	1322	3164	L
7000 Serie 7260R 9.0 Tier 3B	194	264	1217	243	330	1524	3164	L
7000 Serie 7270R 6.8 Tier 4f	198	269	0	249	338	0	3164	L
7000 Serie 7270R 6.8 Tier 4i	198	269	0	250	340	0	3164	L
7000 Serie 7270R 9.0 Tier 4i	199	271	1245	250	340	1558	3164	L
7000 Serie 7280 13.5 Tier 4A	323	439	0	404	550	0	3190	L
7000 Serie 7280R 9.0 Tier 4	206	280	1305	261	355	1375	3164	L
7000 Serie 7280R 9.0 Tier 3B	209	284	1305	261	355	1633	3164	L
7000 Serie 7290R 9.0 Tier 4f	213	290	1305	267	363	1632	3164	L
7000 Serie 7290R 9.0 Tier 4i	213	290	1305	266	362	1633	3164	L
7000 Serie 7300 12.5	273	371	0	330	449	0	3081	L
7000 Serie 7310R 9.0 Tier 4i	250	340	1452	312	424	1820	3164	L
7000 Serie 7330 6.8 2V Premium	93	126	0	118	160	0	3197	L
7000 Serie 7330 6.8 4V Premium	93	126	0	118	160	0	3196	L
7000 Serie 7350 13.5	352	479	0	425	578	0	3081	L
7000 Serie 7380 13.5 Tier 4A	356	484	0	446	607	0	3190	L
7000 Serie 7400 12.5	323	439	0	340	462	0	3081	L
7000 Serie 7430 6.8 2V Premium	104	141	0	132	180	0	3197	L

7000 Serie 7430 6.8 4V Premium	104	141	0	132	180	0	3196	L
7000 Serie 7430 6.8 CR 4V	118	160	760	147	200	900	3196	L
7000 Serie 7450 13.5	409	556	1550	491	668	1723	3081	L
7000 Serie 7480 13.5 Tier 4A	409	556	0	507	690	0	3190	L
7000 Serie 7500 12.5	377	513	1850	456	620	1925	3081	L
7000 Serie 7530 6.8 CR 4V	129	175	828	157	214	980	3196	L
7000 Serie 7550 13.5	458	623	0	550	748	0	3081	L
7000 Serie 7580 13.5	459	624	0	576	784	0	3190	L
7000 Serie 7630 6.8 CR 4V	136	185	859	165	225	1020	3196	L
7000 Serie 7700 12.5	377	513	1850	456	620	1925	3081	L
7000 Serie 7710 8.1	118	160	0	142	193	0	3197	L
7000 Serie 7720 6.8	125	170	824	150	204	989	3196	L
7000 Serie 7730 6.8 CR 4V	136	185	859	164	223	1031	3249	L
7000 Serie 7750 13.5	458	623	0	550	748	0	3081	L
7000 Serie 7760 13.5	680	925	0	816	1110	0	3081	L
7000 Serie 7780 13.5	459	624	0	576	784	0	3190	L
7000 Serie 7810 8.1	129	175	0	155	211	0	3197	L
7000 Serie 7820 6.8 4V	136	185	902	164	223	1120	3196	L
7000 Serie 7830 6.8 CR 4V	147	200	957	176	240	1150	3249	L
7000 Serie 7920 8.1	147	200	825	195	265	1040	3197	L
7000 Serie 7930 6.8 CR 4V	158	215	1025	192	261	1210	3249	L
8000 Serie 8120 8.1	127	173	0	157	214	0	3197	L
8000 Serie 8130 9.0	158	215	1008	195	265	1209	3097	L
8000 Serie 8210 8.1	147	200	0	176	240	0	3197	L
8000 Serie 8220 8.1	165	224	0	195	265	0	3197	L
8000 Serie 8225R 9.0	166	226	0	210	286	0	3097	L
8000 Serie 8230 9.0	177	241	1114	218	296	1340	3203	L
8000 Serie 8235R 9.0	173	235	1770	218	296	2215	3164	L
8000 Serie 8245R 9.0 Tier 4f	180	245	0	225	306	0	3164	L
8000 Serie 8245R 9.0 Tier 3	180	245	1085	225	306	1415	3097	L
8000 Serie 8260R 9.0 Tier 3B	191	260	1217	239	325	1522	3164	L
8000 Serie 8270R 9.0 Tier 4f	199	271	1199	250	340	1199	3164	L
8000 Serie 8270R 9.0 Tier 3	199	271	1199	250	340	1199	3097	L
8000 Serie 8285R 9.0 Tier 3B	210	286	1334	265	360	1670	3164	L
8000 Serie 8295R 9.0 Tier 4f	217	295	0	272	370	0	3164	L
8000 Serie 8295R 9.0 Tier 3	217	295	1310	272	370	1310	3097	L
8000 Serie 8295RT 9.0 Tier 4f	217	295	0	272	370	0	3164	L
8000 Serie 8300	360	490	0	423	575	0	3190	L
8000 Serie 8310R 9.0 Tier 3B	228	310	1452	287	390	1816	3164	L
8000 Serie 8310RT 9.0 Tier 3B	228	310	1452	287	390	1816	3164	L
8000 Serie 8320 8.1	183	249	0	222	302	0	3197	L
8000 Serie 8320R 9.0 Tier 4f	235	320	0	296	402	0	3164	L
8000 Serie 8320R 9.0 Tier 3	235	320	1419	296	402	1419	3097	L

8000 Serie 8320RT 9.0 Tier 4	235	320	0	<b>284</b>	<b>386</b>	<b>0</b>	3164	<b>L</b>
8000 Serie 8320RT 9.0 Tier 3	235	320	1419	<b>284</b>	<b>386</b>	<b>1419</b>	3097	<b>L</b>
8000 Serie 8330 9.0	199	271	1250	<b>247</b>	<b>336</b>	<b>1512</b>	3097	<b>L</b>
8000 Serie 8335R 9.0 Tier 3B	246	335	1569	<b>309</b>	<b>420</b>	<b>1962</b>	3164	<b>L</b>
8000 Serie 8335RT 9.0 Tier 3B	246	335	1569	<b>309</b>	<b>420</b>	<b>1962</b>	3164	<b>L</b>
8000 Serie 8345R 9.0 Tier 4f	254	345	0	<b>318</b>	<b>432</b>	<b>0</b>	3164	<b>L</b>
8000 Serie 8345R 9.0 Tier 3	254	345	1515	<b>318</b>	<b>432</b>	<b>1765</b>	3097	<b>L</b>
8000 Serie 8345R 9.0 Tier 4	257	350	0	<b>320</b>	<b>435</b>	<b>0</b>	3164	<b>L</b>
8000 Serie 8345RT 9.0 Tier 4	254	345	0	<b>309</b>	<b>420</b>	<b>0</b>	3164	<b>L</b>
8000 Serie 8360R 9.0 Tier 3B	265	360	0	<b>332</b>	<b>452</b>	<b>0</b>	3164	<b>L</b>
8000 Serie 8360RT 9.0 Tier 3B	265	360	1686	<b>332</b>	<b>452</b>	<b>2110</b>	3164	<b>L</b>
8000 Serie 8370R 9.0 Tier 4f	272	370	0	<b>340</b>	<b>463</b>	<b>0</b>	3164	<b>L</b>
8000 Serie 8420 8.1	198	269	0	<b>238</b>	<b>324</b>	<b>0</b>	3197	<b>L</b>
8000 Serie 8430 9.0	217	295	1396	<b>265</b>	<b>360</b>	<b>1675</b>	3097	<b>L</b>
8000 Serie 8520 8.1	217	295	0	<b>260</b>	<b>354</b>	<b>0</b>	3197	<b>L</b>
8000 Serie 8530 9.0	236	321	1530	<b>287</b>	<b>390</b>	<b>1844</b>	3097	<b>L</b>
9000 Serie 9230 9.0	242	329	0	<b>297</b>	<b>404</b>	<b>0</b>	3097	<b>L</b>
9000 Serie 9320 12.5	276	375	0	<b>332</b>	<b>452</b>	<b>0</b>	3081	<b>L</b>
9000 Serie 9330 13.5	280	381	0	<b>338</b>	<b>460</b>	<b>0</b>	3081	<b>L</b>
9000 Serie 9360R 9.0 Tier 3B	265	360	1686	<b>331</b>	<b>450</b>	<b>1850</b>	3164	<b>L</b>
9000 Serie 9360RT 9.0 Tier 3B	265	360	0	<b>320</b>	<b>435</b>	<b>0</b>	3164	<b>L</b>
9000 Serie 9370R 9.0 Tier 4	276	375	0	<b>335</b>	<b>455</b>	<b>0</b>	3164	<b>L</b>
9000 Serie 9400 12.5	313	425	2000	<b>369</b>	<b>502</b>	<b>2395</b>	3081	<b>L</b>
9000 Serie 9410R 13.5 Tier 3B	302	411	1892	<b>379</b>	<b>515</b>	<b>2370</b>	3190	<b>L</b>
9000 Serie 9420 12.5	312	424	0	<b>375</b>	<b>510</b>	<b>0</b>	3081	<b>L</b>
9000 Serie 9430 13.5	317	431	0	<b>382</b>	<b>520</b>	<b>0</b>	3081	<b>L</b>
9000 Serie 9460R 13.5 Tier 3B	338	459	2123	<b>425</b>	<b>578</b>	<b>2655</b>	3190	<b>L</b>
9000 Serie 9460RT 13.5 Tier 3B	338	459	2123	<b>426</b>	<b>580</b>	<b>2656</b>	3190	<b>L</b>
9000 Serie 9510R 13.5 Tier 3B	375	510	2354	<b>471</b>	<b>640</b>	<b>2945</b>	3190	<b>L</b>
9000 Serie 9510RT 13.5 Tier 3B	375	510	2354	<b>471</b>	<b>640</b>	<b>2945</b>	3190	<b>L</b>
9000 Serie 9520 12.5	331	450	0	<b>398</b>	<b>541</b>	<b>0</b>	3081	<b>L</b>
9000 Serie 9530 13.5	354	481	0	<b>426</b>	<b>579</b>	<b>0</b>	3081	<b>L</b>
9000 Serie 9540i 6.8	158	215	0	<b>198</b>	<b>269</b>	<b>0</b>	3249	<b>L</b>
9000 Serie 9560i 6.8	181	246	0	<b>226</b>	<b>307</b>	<b>0</b>	3249	<b>L</b>
9000 Serie 9560R 13.5 Tier 3B	412	560	2585	<b>518</b>	<b>705</b>	<b>3235</b>	3190	<b>L</b>
9000 Serie 9560RT 13.5 Tier 3B	412	560	2585	<b>515</b>	<b>700</b>	<b>3231</b>	3190	<b>L</b>
9000 Serie 9570R 15.0 QSX Tier 4	425	578	0	<b>504</b>	<b>685</b>	<b>0</b>	3282	<b>L</b>
9000 Serie 9570RT 15.0 QSX Tier 4	425	578	0	<b>504</b>	<b>685</b>	<b>0</b>	3282	<b>L</b>
9000 Serie 9580i 8.1	217	295	0	<b>271</b>	<b>369</b>	<b>0</b>	3197	<b>L</b>
9000 Serie 9620R 15.0 QSX Tier 4	462	628	0	<b>555</b>	<b>755</b>	<b>0</b>	3282	<b>L</b>
9000 Serie 9630 13.5	395	537	0	<b>475</b>	<b>646</b>	<b>0</b>	3081	<b>L</b>
9000 Serie 9630T 8.1 Terra Gator	165	224	0	<b>195</b>	<b>265</b>	<b>0</b>	3197	<b>L</b>
9000 Serie 9640 8.1 WTS	201	273	0	<b>268</b>	<b>365</b>	<b>0</b>	3197	<b>L</b>

9000 Serie 9640i 8.1	217	295	0	271	369	0	3197	L
9000 Serie 9660i 8.1	234	318	0	293	398	0	3197	L
9000 Serie 9670 9.0 STS	224	305	0	279	379	0	3097	L
9000 Serie 9680i 8.1	199	271	0	240	326	0	3197	L
9000 Serie 9680i 8.1	260	354	0	325	442	0	3197	L
9000 Serie 9770 9.0 STS	265	360	0	320	435	0	3097	L
9000 Serie 9780i 9.0	260	354	0	317	431	0	3097	L
9000 Serie 9870 13.5	323	439	0	405	551	0	3081	L
9000 Serie 9880i 12.5	347	472	0	435	592	0	3081	L
C Serie C670 9.0	275	374	0	375	510	0	3097	L
Grapple Skidder 648G-III 6.8	128	174	706	151	205	956	3080	L
Motor Grader 772G 9.0 Tier 4f	198	269	1334	250	340	1334	3164	L
R Serie R4030 6.8 Tier 4F	209	284	0	262	356	0	3164	L
R Serie R4039 9.0 Tier 4f	231	314	0	290	394	0	3164	L
R Serie R4045 9.0 Tier 4f	258	351	0	324	440	0	3164	L
S Serie S650 9.0 Tier 4f	220	299	0	276	375	0	3164	L
S Serie S660 9.0 Tier 3B	239	325	0	289	393	0	3164	L
S Serie S660 9.0 Tier 4f	249	339	0	313	425	0	3164	L
S Serie S660i 9.0 Tier 3B	239	325	0	288	391	0	3164	L
S Serie S660i 9.0 Tier 4f	249	339	0	299	407	0	3164	L
S Serie S670 9.0 Tier 3B	278	378	0	349	475	0	3164	L
S Serie S670 9.0 Tier 4f	292	397	0	366	498	0	3164	L
S Serie S670 9.0 Tier 4A	299	407	0	375	510	0	3164	L
S Serie S670i 9.0 Tier 4f	249	339	0	300	408	0	3164	L
S Serie S670i 9.0 Tier 3B	278	378	0	335	455	0	3164	L
S Serie S670i 9.0 Tier 4	292	397	0	353	480	0	3164	L
S Serie S670i 9.0 Tier 4A	299	407	0	359	488	0	3164	L
S Serie S680 13.5 Tier 3B	353	480	0	445	605	0	3190	L
S Serie S690 13.5 Tier 3B	404	550	0	506	688	0	3190	L
S Serie S690i 13.5	394	536	0	495	673	0	3081	L
Sugarcane Harvester 3510 8.1 4V	248	337	0	298	405	0	3197	L
Sugarcane Harvester 3520 9.0 4V	276	375	0	331	450	0	3097	L
T Serie T660 9.0	260	354	0	325	442	0	3097	L
T Serie T660 9.0 Tier 3B	273	371	0	342	465	0	3164	L
T Serie T660i 9.0 Tier 3B	262	356	0	329	448	0	3164	L
T Serie T670 9.0 Tier 3B	278	378	0	349	475	0	3164	L
T Serie T670 9.0	299	407	0	374	509	0	3097	L
Track Feller Bunchers 853J 8.1	217	295	1200	260	354	1200	3197	L
Track Feller Bunchers 903J 8.1	217	295	1200	260	354	1200	3197	L
Track Feller Bunchers 953J 8.1	217	295	1200	260	354	1200	3197	L
W Serie W550 6.8	217	295	0	272	370	0	3249	L
W Serie W650 9.0	240	326	0	300	408	0	3097	L
W Serie W660 9.0	260	354	0	260	354	0	3097	L



W Serie WTS9680 8.1

199 271 0 **240 326 0** 3197**L**

<b>Kotschenreuther</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
195 6.8 CR 4V	143	195	0	<b>179</b>	<b>243</b>	<b>0</b>	3249	<b>L</b>	
205 6.8 CR 4V	151	205	0	<b>189</b>	<b>257</b>	<b>0</b>	3249	<b>L</b>	
K135 6.8 CR 4V	99	135	646	<b>122</b>	<b>166</b>	<b>785</b>	3196	<b>L</b>	
K145 6.8 CR 4V	107	145	0	<b>130</b>	<b>177</b>	<b>0</b>	3196	<b>L</b>	
K160 6.8 CR 4V	118	160	0	<b>147</b>	<b>200</b>	<b>0</b>	3196	<b>L</b>	
K175 6.8 CR 4V	129	175	0	<b>154</b>	<b>209</b>	<b>0</b>	3196	<b>L</b>	
<b>Krone</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
Big M 400 12.8	280	381	1900	<b>350</b>	<b>476</b>	<b>2300</b>	3102	<b>T</b>	
Big M II 12.0	265	360	0	<b>331</b>	<b>450</b>	<b>0</b>	3102	<b>T</b>	
Big X 480 12.8	360	490	0	<b>452</b>	<b>615</b>	<b>0</b>	3264	<b>L</b>	
Big X 500 12.8	357	486	0	<b>430</b>	<b>585</b>	<b>0</b>	3102	<b>T</b>	
Big X 580 15.6	430	585	0	<b>540</b>	<b>735</b>	<b>0</b>	3264	<b>L</b>	
Big X 600 16.0 (From 01/01/2011 to 01/12/2017)	448	609	0	<b>520</b>	<b>707</b>	<b>0</b>	3102	<b>T</b>	
Big X 650 16.0	459	624	0	<b>555</b>	<b>755</b>	<b>0</b>	3102	<b>T</b>	
<b>Lamborghini</b>	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
F Plus 100 4.0	66	90	350	<b>85</b>	<b>116</b>	<b>440</b>	HSY201	<b>L</b>	
F Plus 55 3.0	39	53	190	<b>44</b>	<b>60</b>	<b>240</b>	HSY201	<b>L</b>	
F Plus 70 3.0	50	68	243	<b>64</b>	<b>87</b>	<b>440</b>	HSY201	<b>L</b>	
F Plus 75 4.0	52	71	260	<b>66</b>	<b>90</b>	<b>350</b>	HSY201	<b>L</b>	
F Plus 90 4.0	61	83	325	<b>77</b>	<b>105</b>	<b>410</b>	HSY201	<b>L</b>	
Nitro 100 (VRT) (After 01/02/2013)	73	99	397	<b>88</b>	<b>120</b>	<b>461</b>	3315	<b>L</b>	
Nitro 110 (VRT) (After 01/02/2013)	81	110	440	<b>98</b>	<b>133</b>	<b>510</b>	3315	<b>L</b>	
Nitro 120 (VRT) (After 01/02/2013)	87	118	460	<b>105</b>	<b>143</b>	<b>534</b>	3315	<b>L</b>	
Nitro 130 (VRT) (After 01/02/2013)	93	126	480	<b>113</b>	<b>153</b>	<b>558</b>	3315	<b>L</b>	
R2 56 3.0	39	53	190	<b>49</b>	<b>67</b>	<b>240</b>	HSY201	<b>L</b>	
R2 66 3.0	50	68	260	<b>63</b>	<b>86</b>	<b>323</b>	HSY201	<b>L</b>	
R2 76 4.0	52	71	257	<b>65</b>	<b>89</b>	<b>323</b>	HSY201	<b>L</b>	
R2 86 4.0	61	83	348	<b>76</b>	<b>104</b>	<b>433</b>	HSY201	<b>L</b>	
R3 85 4.0	60	82	325	<b>77</b>	<b>105</b>	<b>405</b>	HSY201	<b>L</b>	
R3 95 4.0	67	91	370	<b>85</b>	<b>116</b>	<b>460</b>	HSY201	<b>L</b>	
R3 EVO 100 4.0	73	99	380	<b>96</b>	<b>130</b>	<b>470</b>	HSY201	<b>L</b>	
R3 EVO 110 4.0	80	109	400	<b>104</b>	<b>142</b>	<b>495</b>	HSY201	<b>L</b>	
R3 EVO 85 4.0	63	86	320	<b>82</b>	<b>111</b>	<b>400</b>	HSY201	<b>L</b>	
R4 105 6.0	74	101	391	<b>94</b>	<b>128</b>	<b>490</b>	HSY201	<b>L</b>	
R4 110 4.0	80	109	395	<b>100</b>	<b>136</b>	<b>495</b>	HSY201	<b>L</b>	
R4 85 4.0	63	86	345	<b>79</b>	<b>107</b>	<b>430</b>	HSY201	<b>L</b>	
R4 95 4.0	67	91	367	<b>85</b>	<b>116</b>	<b>500</b>	HSY201	<b>L</b>	
R5 115 6.0	84	114	445	<b>106</b>	<b>144</b>	<b>560</b>	HSY201	<b>L</b>	

R5 130 6.0	94	128	493	<b>118</b>	<b>160</b>	<b>620</b>	HSY201	<b>L</b>
R6 100 4.0	74	101	396	<b>94</b>	<b>128</b>	<b>496</b>	HSY201	<b>L</b>
R6 110 6.0	81	110	418	<b>103</b>	<b>140</b>	<b>525</b>	HSY201	<b>L</b>
R6 120 4.0	88	120	477	<b>110</b>	<b>150</b>	<b>600</b>	HSY201	<b>L</b>
R6 130 6.0	93	126	512	<b>118</b>	<b>160</b>	<b>640</b>	HSY201	<b>L</b>
R6 130S 7.1	92	125	504	<b>116</b>	<b>158</b>	<b>630</b>	HSY201	<b>L</b>
R6 140S 7.1	100	136	556	<b>125</b>	<b>170</b>	<b>700</b>	HSY201	<b>L</b>
R6 150 6.0	110	150	590	<b>140</b>	<b>190</b>	<b>740</b>	HSY201	<b>L</b>
R6 150 7.1	110	150	556	<b>140</b>	<b>190</b>	<b>700</b>	HSY201	<b>L</b>
R6 150S 7.1	107	146	597	<b>135</b>	<b>184</b>	<b>750</b>	HSY201	<b>L</b>
R6 165 7.1	125	170	683	<b>157</b>	<b>214</b>	<b>855</b>	HSY201	<b>L</b>
R6 165S 7.1	120	163	683	<b>150</b>	<b>204</b>	<b>855</b>	HSY201	<b>L</b>
R6 180 7.1	125	170	755	<b>157</b>	<b>214</b>	<b>945</b>	HSY201	<b>L</b>
R6 VRT 150 7.1	109	148	567	<b>136</b>	<b>185</b>	<b>710</b>	HSY201	<b>L</b>
R6 VRT 165 7.1	119	162	615	<b>150</b>	<b>204</b>	<b>770</b>	HSY201	<b>L</b>
R7 175S 7.1	127	173	735	<b>160</b>	<b>218</b>	<b>920</b>	HSY201	<b>L</b>
R7 190S 7.1	141	192	780	<b>176</b>	<b>240</b>	<b>975</b>	HSY201	<b>L</b>
R7 200 7.1	150	204	820	<b>189</b>	<b>257</b>	<b>1025</b>	HSY201	<b>L</b>
R8 215 7.1	154	209	1000	<b>194</b>	<b>264</b>	<b>1260</b>	HSY201	<b>L</b>
R8 265 7.1	192	261	1040	<b>241</b>	<b>328</b>	<b>1300</b>	HSY201	<b>L</b>
RS 100 4.0	66	90	377	<b>84</b>	<b>114</b>	<b>475</b>	HSY201	<b>L</b>
RS 70 3.0	50	68	260	<b>64</b>	<b>87</b>	<b>320</b>	HSY201	<b>L</b>
RS 75 4.0	52	71	257	<b>64</b>	<b>87</b>	<b>320</b>	HSY201	<b>L</b>
RS 90 4.0	61	83	348	<b>76</b>	<b>104</b>	<b>440</b>	HSY201	<b>L</b>
Victory Plus 230 7.1	169	230	890	<b>210</b>	<b>286</b>	<b>1100</b>	HSY201	<b>L</b>
Victory Plus 260 7.1	192	261	1040	<b>238</b>	<b>324</b>	<b>1320</b>	HSY201	<b>L</b>

<b>Landini</b>	<b>Series</b>			<b>Tuningbox</b>			<b>Code</b>	<b>Price</b>	<b>Installation</b>
	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>KW</b>	<b>HP</b>	<b>NM</b>			
Landpower 125 6.0 TDI	87	118	490	<b>110</b>	<b>150</b>	<b>610</b>	VP-T	<b>LK</b>	
Landpower 135 6.0 TDI	99	135	555	<b>125</b>	<b>170</b>	<b>695</b>	VP-T	<b>LK</b>	
Landpower 145 6.0 TDI	107	146	600	<b>135</b>	<b>184</b>	<b>755</b>	VP-T	<b>LK</b>	
Landpower 165 6.0 TDI	120	163	640	<b>150</b>	<b>204</b>	<b>805</b>	VP-T	<b>LK</b>	
Landpower 185 6.0 TDI	135	184	695	<b>170</b>	<b>231</b>	<b>870</b>	VP-T	<b>LK</b>	
Legend 125 6.0 TDI	87	118	490	<b>110</b>	<b>150</b>	<b>610</b>	VP-T	<b>LK</b>	
Legend 135 6.0 TDI	99	135	555	<b>125</b>	<b>170</b>	<b>695</b>	VP-T	<b>LK</b>	
Legend 145 6.0 TDI	107	146	600	<b>135</b>	<b>184</b>	<b>755</b>	VP-T	<b>LK</b>	
Legend 165 6.0 TDI	120	163	640	<b>150</b>	<b>204</b>	<b>805</b>	VP-T	<b>LK</b>	
Legend 185 6.0 TDI	135	184	695	<b>170</b>	<b>231</b>	<b>870</b>	VP-T	<b>LK</b>	
Mythus 115 6.0 TDI	77	105	310	<b>97</b>	<b>132</b>	<b>415</b>	VP-T	<b>LK</b>	
Powermax 145 6.7	107	145	632	<b>129</b>	<b>175</b>	<b>795</b>	3175	<b>L</b>	
Powermax 165 6.7	118	161	730	<b>140</b>	<b>191</b>	<b>905</b>	3175	<b>L</b>	
Powermondial 100 4.4	61	83	384	<b>77</b>	<b>105</b>	<b>485</b>	3070	<b>L</b>	
Powermondial 110 4.4	68	92	412	<b>86</b>	<b>117</b>	<b>517</b>	3070	<b>L</b>	

Powermondial 115 4.4	73	99	410	92	125	515	3070	L	
Serie 7 205 6.7	175	238	726	219	298	908	3175	L	
Serie 7 215 6.7 Roboshift	175	238	810	219	298	1015	3175	L	
Serie 7 220 6.7	188	256	810	235	320	1015	3175	L	
Serie 7 235 6.7	214	291	912	268	364	1140	3175	L	
<b>Lindner</b>	<b>Series</b>			<b>Tuningbox</b>			<b>Code</b>	<b>Price</b>	<b>Installation</b>
	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>KW</b>	<b>HP</b>	<b>NM</b>			
Geotrac 103 4.4	75	102	415	95	129	521	3070	L	
Geotrac 104 4.4	78	106	460	99	135	576	3070	L	
Geotrac 114 4.4	86	117	510	109	148	640	3070	L	
Geotrac 124 4.4	93	126	550	115	156	684	3070	L	
Geotrac 93 4.4	67	91	370	85	116	460	3070	L	
<b>Manitou</b>	<b>Series</b>			<b>Tuningbox</b>			<b>Code</b>	<b>Price</b>	<b>Installation</b>
	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>KW</b>	<b>HP</b>	<b>NM</b>			
MLT 635	90	123	470	112	152	565	3102	T	
MLT 735	90	123	470	112	152	565	3102	T	
<b>Massey Ferguson</b>	<b>Series</b>			<b>Tuningbox</b>			<b>Code</b>	<b>Price</b>	<b>Installation</b>
	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>KW</b>	<b>HP</b>	<b>NM</b>			
MF 3600 MF 3625A (After 01/05/2011)	51	69	276	61	83	321	3202	L	
MF 3600 MF 3625F (After 01/05/2011)	51	69	363	61	83	321	3202	L	
MF 3600 MF 3625GE (After 01/05/2011)	51	69	363	61	83	321	3202	L	
MF 3600 MF 3625V (After 01/05/2011)	51	69	363	61	83	321	3202	L	
MF 3600 MF 3630A (After 01/05/2011)	56	76	363	68	92	370	3202	L	
MF 3600 MF 3635F (After 01/05/2011)	59	80	363	70	95	396	3202	L	
MF 3600 MF 3635GE (After 01/05/2011)	59	80	363	70	95	396	3202	L	
MF 3600 MF 3635V (After 01/05/2011)	59	80	363	70	95	396	3202	L	
MF 3600 MF 3640A (After 01/05/2011)	62	84	363	74	101	417	3202	L	
MF 3600 MF 3640F (After 01/05/2011)	62	84	363	74	101	417	3202	L	
MF 3600 MF 3640GE (After 01/05/2011)	62	84	363	74	101	417	3202	L	
MF 3600 MF 3640V (After 01/05/2011)	62	84	363	74	101	417	3202	L	
MF 3600 MF 3650A (After 01/05/2011)	68	92	363	82	111	452	3202	L	
MF 3600 MF 3650F (After 01/05/2011)	68	92	363	82	111	452	3202	L	
MF 3600 MF 3650GE (After 01/05/2011)	68	92	363	82	111	452	3202	L	
MF 3600 MF 3660F (After 01/05/2011)	75	102	363	90	122	470	3202	L	
MF 3600 MF 3660GE (After 01/05/2011)	75	102	363	90	122	470	3202	L	
MF 5000 5445 4.4 CR	74	100	420	97	132	531	3070	L	
MF 5000 5455 4.4 CR	82	112	465	105	143	555	3070	L	
MF 5000 5460 4.4	85	116	471	102	139	565	VP-T	LK	
MF 5000 5460 4.4 CR	91	124	471	114	155	589	3070	L	
MF 5000 5465 6.0	88	120	500	106	144	600	VP-T	LK	
MF 5000 5465 6.6 CR	95	129	500	120	163	625	3071	L	
MF 5000 5470 4.4 CR	99	135	540	124	169	675	3084	L	
MF 5000 5475 6.6 CR	106	144	607	133	181	759	3071	L	

MF 5000 5480 4.9 CR	106	144	625	133	181	781	3084	L
MF 5000 5608 3.3	63	85	363	77	105	363	3202	L
MF 5000 5609 3.3	70	95	0	85	115	0	3202	L
MF 5000 5610 3.3	77	105	413	93	127	413	3202	L
MF 5000 5611 4.4 AgcoPower	81	110	468	101	137	586	3208	L
MF 5000 5612 4.4 AgcoPower	88	120	502	110	150	629	3208	L
MF 5000 5613 4.4 AgcoPower	96	131	545	120	163	682	3208	L
MF 6000 6445 4.4 Perkins CR	70	95	400	88	120	500	3070	L
MF 6000 6455 4.4 Perkins CR	77	105	463	96	131	579	3070	L
MF 6000 6460 4.4	85	116	471	106	144	589	VP-T	LK
MF 6000 6460 4.4 CR	84	114	538	107	146	680	3084	L
MF 6000 6465 6.0	88	120	500	110	150	625	VP-T	LK
MF 6000 6465 6.6 CR	87	118	543	110	150	680	3071	L
MF 6000 6465 6.6 Perkins CR	87	118	543	109	148	679	3071	L
MF 6000 6470 4.4	92	125	492	115	156	615	VP-T	LK
MF 6000 6470 4.4 CR	92	125	600	122	166	722	3084	L
MF 6000 6475 6.0	99	135	565	124	169	706	VP-T	LK
MF 6000 6475 6.6 Perkins CR	99	135	607	131	178	789	3071	L
MF 6000 6475 6.6 SISU CR	99	135	607	131	178	789	3178	L
MF 6000 6480 6.0	107	146	590	134	182	738	VP-T	LK
MF 6000 6480 6.6 CR	107	146	649	135	184	812	3071	L
MF 6000 6480 6.6 Perkins CR	107	145	649	134	182	811	3071	L
MF 6000 6485 6.6	114	155	650	142	193	813	VP-T	LK
MF 6000 6485 6.6 SISU CR	118	160	750	148	201	938	3178	L
MF 6000 6490 6.6	125	170	720	156	212	900	VP-T	LK
MF 6000 6490 6.6 SISU CR	125	170	861	175	238	995	3178	L
MF 6000 6495 6.6	136	185	780	170	231	975	VP-T	LK
MF 6000 6495 6.6 SISU CR	136	185	841	170	231	1051	3178	L
MF 6000 6497 7.4 SISU CR	147	200	883	184	250	1104	3178	L
MF 6000 6499 7.4	158	215	864	190	258	1037	VP-T	LK
MF 6000 6499 7.4 SISU CR	158	215	928	198	269	1160	3178	L
MF 6000 6612 4.9 AgcoPower	99	135	575	125	170	705	3192	L
MF 6000 6615 4.9 AgcoPower Tier 4	81	110	790	96	131	947	3192	L
MF 6000 6616 4.9 AgcoPower	136	185	790	171	232	920	3192	L
MF 7000 7147 S 7.4 SISU SCR Tier 4A	203	276	0	236	321	0	3191	L
MF 7000 7240 6.7 Iveco NEF	129	175	0	161	219	0	3175	L
MF 7000 7347 MCS 7.4 SISU SCR Tier 4A	203	276	0	236	321	0	3191	L
MF 7000 7360 7.4 Agco Power	203	276	0	254	346	0	3191	L
MF 7000 7370 8.4 AgcoPower	265	360	0	332	451	0	3191	L
MF 7000 7380 8.4 AgcoPower	279	379	0	350	476	0	3191	L
MF 7000 7382 8.4 AgcoPower	297	404	0	372	506	0	3191	L
MF 7000 7464 6.6	88	120	585	110	150	731	3178	L
MF 7000 7465 6.0	96	131	500	120	163	625	VP-T	LK

MF 7000 7465 6.0 Perkins CR	92	125	500	120	163	625	3071	L
MF 7000 7465 6.6 CR	92	125	585	115	156	732	3071	L
MF 7000 7475 6.0	107	146	590	134	182	706	VP-T	LK
MF 7000 7475 6.6 Perkins CR	103	140	681	129	175	851	3071	L
MF 7000 7475 6.6 SISU CR	99	135	607	130	177	705	3178	L
MF 7000 7480 6.0	114	155	590	143	194	738	VP-T	LK
MF 7000 7480 6.6 CR	110	150	711	138	188	890	3071	L
MF 7000 7480 6.6 Perkins CR	110	150	711	138	188	889	3071	L
MF 7000 7480 6.6 SISU CR	99	135	625	124	169	782	3178	L
MF 7000 7485 6.6	121	165	650	151	205	813	VP-T	LK
MF 7000 7485 6.6 SISU CR	121	165	836	151	205	1045	3178	L
MF 7000 7490 6.6	132	180	720	165	224	900	VP-T	LK
MF 7000 7490 6.6 SISU CR	129	175	880	161	219	1100	3174	L
MF 7000 7495 6.6	143	194	780	179	243	975	VP-T	LK
MF 7000 7495 6.6 SISU CR	140	190	904	175	238	1130	3178	L
MF 7000 7499 7.4 SISU	176	240	0	207	281	0	3178	L
MF 7000 7614 6.6 SISU SCR Tier 4A	103	140	645	136	185	865	3191	L
MF 7000 7615 6.6 SISU SCR Tier 4A	110	150	660	143	195	880	3191	L
MF 7000 7618 6.6 SISU SCR Tier 4A	129	175	740	162	220	960	3191	L
MF 7000 7619 6.6 SISU SCR Tier 4A	136	185	830	169	230	1050	3191	L
MF 7000 7620 6.6 SISU SCR Tier 4A	147	200	880	180	245	1100	3191	L
MF 7000 7622 6.6 SISU SCR Tier 4A	158	215	943	191	260	1163	3191	L
MF 7000 7622 7.4 SISU SCR Tier 4A	158	215	943	191	260	1163	3191	L
MF 7000 7624 7.4 SISU SCR Tier 4A	173	235	1030	206	280	1250	3191	L
MF 7000 7714	103	140	687	136	185	828	3191	L
MF 7000 7715	110	150	745	143	195	898	3191	L
MF 7000 7716	118	160	790	151	205	952	3191	L
MF 7000 7718	129	175	840	162	220	1012	3191	L
MF 7000 7719	136	185	925	169	230	1114	3191	L
MF 7000 7719 6.6 Tier 4F	140	190	925	162	220	1125	3191	L
MF 7000 7720	147	200	980	180	245	1181	3191	L
MF 7000 7722	158	215	1050	191	260	1229	3191	L
MF 7000 7724	173	235	1120	206	280	1349	3191	L
MF 7000 7726 7.4 SISU SCR Tier 4A	188	255	1146	211	287	1328	3191	L
MF 7000 Activa 7240	129	175	0	154	209	0	6101	E
MF 7000 Activa 7244	162	220	0	188	256	0	6101	E
MF 7000 Activa 7245	179	243	0	205	279	0	6101	E
MF 7000 Activa 7246	179	243	0	205	279	0	6101	E
MF 7000 Activa 7247S 7.4 SISU CR	202	275	0	251	341	0	3178	L
MF 7000 Beta 7260 7.4 SISU CR	202	275	0	251	341	0	3178	L
MF 7000 Beta 7270 8.4 SISU CR	246	335	0	299	406	0	3178	L
MF 7000 Centora 7280 8.4 SISU CR	255	347	0	311	423	0	3178	L
MF 7000 Centora 7282 8.4 SISU CR	282	384	0	335	455	0	3178	L

MF 8000 8450 7.4	158	215	864	198	269	1080	VP-T	LK
MF 8000 8450 7.4 CR	158	215	970	198	269	1213	3178	L
MF 8000 8460 7.4	173	235	990	216	294	1238	VP-T	LK
MF 8000 8460 7.4 CR	173	235	1071	216	294	1339	3178	L
MF 8000 8470 8.4	191	260	1100	239	325	1375	VP-T	LK
MF 8000 8470 8.4 CR	191	260	1195	239	325	1450	3085	L
MF 8000 8480 8.4	213	290	1190	266	362	1488	VP-T	LK
MF 8000 8480 8.4 CR	213	290	1280	213	290	1280	3178	L
MF 8000 8650 8.4 Tier 4A	177	241	1185	221	300	1481	3191	L
MF 8000 8650 8.4 CR AdBlue	199	270	1185	243	330	1335	3178	L
MF 8000 8660 8.4 Tier 4A	195	265	1295	243	331	1619	3191	L
MF 8000 8660 8.4 CR AdBlue	217	295	1295	263	358	1449	3178	L
MF 8000 8670 8.4 Tier 4A	213	290	1400	265	361	1750	3191	L
MF 8000 8670 8.4 CR AdBlue	235	320	1400	280	381	1586	3178	L
MF 8000 8680 8.4 Tier 4A	235	320	1492	294	400	1865	3191	L
MF 8000 8680 8.4 CR AdBlue	257	350	1492	311	423	1645	3178	L
MF 8000 8690 8.4 Tier 4A	340	462	1540	424	576	1925	3191	L
MF 8000 8690 8.4 CR AdBlue	272	370	1540	338	460	1735	3178	L
MF 8000 8727 8.4 AgcoPower NON CVT	199	271	1300	250	340	1630	3191	L
MF 8000 8730 8.4 AgcoPower NON CVT	217	295	1390	272	370	1739	3191	L
MF 8000 8732 8.4 AgcoPower NON CVT	235	320	1268	276	375	1624	3191	L
MF 8000 8735 8.4 AgcoPower NON CVT	257	350	1590	322	438	1990	3191	L
MF 8000 8737 8.4 AgcoPower NON CVT	272	370	1600	340	463	2000	3191	L
MF 8000 8740	294	400	1700	350	476	2024	3191	L
MF 9000 9280 9.8	365	496	0	460	625	0	3280	T
MF 9000 9380 9.8	365	496	0	460	625	0	3280	T
MF 9000 9520 8.4	230	313	0	265	361	0	3191	L
MF 9000 9540 9.8 Tier 3B, Tier 4i	276	375	0	346	470	0	3280	T
MF 9000 9560 9.8 Tier 3B, Tier 4i	343	466	0	430	585	0	3280	T
MF 9000 9695 8.4 CR	223	303	0	273	371	0	3178	L
MF 9000 9795 8.4 CR	261	355	0	261	355	0	3178	L
MT 600 635B 7.4 CR	167	227	0	210	286	0	3178	L

Mc Cormick	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
MC 115 4.4	87	118	494	109	148	618	VP-T	LK	
MC 115 4.4 CR	92	125	470	115	156	588	3070	L	
MC 120 6.0	85	116	487	107	146	609	VP-T	LK	
MC 130 4.4 CR	92	125	470	115	156	588	3070	L	
MC 135 6.0	97	132	555	121	165	694	VP-T	LK	
MTX 120 6.7	85	116	520	107	146	650	VP-T	LK	
MTX 135 6.7	96	131	535	120	163	669	VP-T	LK	
MTX 150 6.7	112	152	582	140	190	728	VP-T	LK	
MTX 165 6.7	119	162	654	149	203	818	VP-T	LK	

MTX 165 6.7 CR	119	162	654	149	203	818	6101	E
MTX 185 6.7	134	182	0	168	228	0	VP-T	LK
MTX 185 6.7 CR	134	182	0	168	228	0	6101	E
MTX 200 5.9	143	194	0	179	243	0	VP-T	LK
MTX 200 5.9 CR	143	194	0	179	243	0	6101	E
TTX 190 6.7	132	179	774	162	220	940	3175	L
TTX 210 6.7	146	198	800	179	243	990	3175	L
TTX 230 6.7	157	213	850	196	266	1055	3175	L
X 7.660 6.7 Tier 4i	121	164	632	146	199	810	3175	L
X 7.670 6.7 Tier 4i	129	175	726	154	210	920	3175	L
X 7.680 6.7 Tier 4i	138	187	810	163	221	1010	3175	L
X 70.30 6.7 Tier 4	106	144	0	128	174	0	3175	L
X 70.40 6.7 Tier 4	118	161	0	146	198	0	3175	L
X 70.50 6.7 Tier 4	125	170	0	151	206	0	3175	L
X 70.60 6.7 Tier 4i	129	175	0	155	211	0	3175	L
X 70.70 6.7 Tier 4i	146	199	0	175	238	0	3175	L
X 70.80 6.7 Tier 4i	146	199	0	175	238	0	3175	L
XTX 145 6.7 CR	115	156	0	137	186	0	3175	L
XTX 165 6.7 CR	122	166	0	142	193	0	3175	L
XTX 185 6.7 CR	127	173	700	159	216	875	6101	E
XTX 215 5.9	150	204	0	181	246	0	VP-T	LK
XTX 215 6.7 CR	149	203	850	186	253	1065	6101	E
ZTX 230 8.3	169	230	900	207	281	1080	3123	L
ZTX 260 8.3	191	260	1085	235	320	1325	3123	L
ZTX 280 8.3	206	280	1180	254	345	1465	3123	L

New Holland	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
B 115C 3.4 CR Tier 4A	82	112	0	103	140	0	3218	L	
CR 6.80 FPT Cursor 9 Tier 4B Final	245	333	0	293	399	0	3285	T	
CR 6.90 FPT Cursor 9 FPT Tier 4B Final	265	360	0	313	426	0	3285	T	
CR 6090 8.7 Tier 4A	265	360	0	331	450	0	3175	L	
CR 7.90 FPT Cursor 9 Tier 4B Final	300	408	0	349	474	0	3285	T	
CR 7090 8.7 Tier 4A	300	408	0	376	512	0	3175	L	
CR 8070 8.7 Tier 4A	300	408	0	376	512	0	3175	L	
CR 9060 9.0 Cursor Elevation Tier 3	210	286	0	263	358	0	3175	L	
CR 9060 9.0 Cursor Elevation Tier 3	220	299	0	276	375	0	3175	L	
CR 9060 9.0 Cursor Elevation Tier 3	260	354	0	313	425	0	3175	L	
CR 9070 10.3 Cursor Elevation Tier 3	320	435	0	401	545	0	3156	L	
CR 9080 10.3	317	431	0	381	518	0	3156	L	
CR 9080 12.9 Tier 4A	349	475	0	429	583	0	3175	L	
CR 9080 12.9 Cursor Elavation Tier 3	359	488	0	434	590	0	3175	L	
CR 9090 12.9 Tier 4A	389	529	0	468	637	0	3175	L	
CR 9090 12.9 Cursor Elevation Tier 3	399	542	0	479	651	0	3175	L	

CSX 7060 9.0 Cursor	200	272	0	240	327	0	3175	L
CSX 7070 6.7	200	272	0	240	327	0	3286	L
CSX 7080 9.0 Cursor	220	299	0	265	360	0	3175	L
CX 5080 6.7 Tier 4A	175	238	0	219	298	0	3175	L
CX 5090 6.7 Tier 4A	200	272	0	250	340	0	3175	L
CX 6080 6.7 Tier 4A	200	272	0	250	340	0	3175	L
CX 6090 8.7 Tier 4A	220	299	0	276	375	0	3175	L
CX 80 90 9.0 Cursor	260	354	0	313	425	0	3175	L
CX 8030 6.7 CR	190	258	0	261	355	0	3205	L
CX 8040 8.7 Tier 4A	220	299	0	276	375	0	3175	L
CX 8040 9.0 Cursor	210	286	0	254	345	0	3175	L
CX 8050 8.7 Tier 4A	240	326	0	301	410	0	3175	L
CX 8050 9.0 Cursor	240	326	0	289	393	0	3175	L
CX 8060 9.0 Cursor	210	286	0	263	358	0	3175	L
CX 8060 9.0 Cursor	220	299	0	264	359	0	3175	L
CX 8070 9.0 Tier 4A	240	326	0	288	392	0	3175	L
CX 8070 9.0 Cursor	240	326	0	288	392	0	3175	L
CX 8080 8.7 Tier 4A	265	360	0	332	452	0	3285	T
CX 8080 9.0 Cursor	260	354	0	313	425	0	3175	L
CX 8090 10.3 Cursor Tier 3	298	405	0	359	488	0	3156	L
FR 450 8.7 Tier 4A	312	424	1820	390	530	2275	3175	L
FR 500 12.9	368	500	2145	431	586	2620	3175	L
FR 600 12.9	435	592	2470	504	685	3015	3175	L
FR 9040 10.3 Cursor Tier 3	291	396	0	353	480	0	3156	L
FR 9050 12.9 Cursor	368	500	2145	504	685	2620	3175	L
FR 9060 12.9 Cursor	435	592	2470	501	681	3015	3175	L
SP 204F 6.7	202	275	987	252	343	1172	3096	L
SR 200 Windrower 6.7 Iveco	166	226	0	208	283	0	3262	L
T T4.105 FPT 3.4 Tier 4A	78	106	444	97	132	558	3292	L
T T4.115 FPT 3.4 Tier 4A	84	114	461	99	135	559	3218	L
T T4.75 FPT 3.4 Tier 4A	55	75	309	70	95	388	3291	L
T T4.85 FPT 3.1 Tier 4A	62	84	351	76	104	448	3218	L
T T4.95 FPT 3.4 Tier 4A	72	98	407	92	125	502	3218	L
T T5.105 FPT 3.4 Tier 4A	78	106	444	97	132	558	3218	L
T T5.105 FPT 3.4 Electro Command Tier 4A	78	106	444	97	132	558	3218	L
T T5.115 FPT 3.4 Tier 4A	84	114	461	99	135	577	3218	L
T T5.115 FPT 3.4 Electro Command Tier 4A	84	114	461	99	135	577	3218	L
T T5.85 FPT 3.4 Tier 4A	62	84	351	76	104	448	3218	L
T T5.95 FPT 3.4 Tier 4A	72	98	407	92	125	502	3218	L
T T6.120 4.5 Tier 4A	81	110	590	101	137	740	3193	L
T T6.125 Tier4B/Final	92	125	528	105	143	607	3283	L
T T6.140 4.5 Tier 4A	81	110	590	101	137	740	3193	L
T T6.145 Tier4B	85	116	528	99	134	607	3283	L



T T6.150 4.5 Tier 4A	89	121	634	<b>111</b>	<b>151</b>	<b>795</b>	3193	<b>L</b>
T T6.155 6.7 Tier 4A	85	115	632	<b>107</b>	<b>145</b>	<b>795</b>	3175	<b>L</b>
T T6.155 Tier4B	92	125	560	<b>106</b>	<b>144</b>	<b>644</b>	3283	<b>L</b>
T T6.160 4.5 Tier 4A	96	130	676	<b>120</b>	<b>163</b>	<b>845</b>	3193	<b>L</b>
T T6.165 6.7 Tier 4A	92	125	682	<b>116</b>	<b>158</b>	<b>855</b>	3175	<b>L</b>
T T6.165 Tier4B	99	135	605	<b>114</b>	<b>155</b>	<b>696</b>	3283	<b>L</b>
T T6.175 6.7 Tier 4A	103	140	726	<b>129</b>	<b>176</b>	<b>910</b>	3175	<b>L</b>
T T6.175 Tier4B	107	145	650	<b>123</b>	<b>167</b>	<b>748</b>	3283	<b>L</b>
T T6.180 FPT 6.7 Tier 4B	105	143	0	<b>127</b>	<b>173</b>	<b>0</b>	3262	<b>L</b>
T T6010 4.5 CR	74	101	400	<b>93</b>	<b>126</b>	<b>500</b>	6101	<b>E</b>
T T6020 4.5 Elite CR	82	112	520	<b>103</b>	<b>140</b>	<b>650</b>	3090	<b>L</b>
T T6030 6.7 CR	86	117	516	<b>108</b>	<b>147</b>	<b>645</b>	3205	<b>L</b>
T T6040 4.5 Elite CR	89	121	563	<b>111</b>	<b>151</b>	<b>704</b>	3090	<b>L</b>
T T6050 6.7 CR	93	126	560	<b>116</b>	<b>158</b>	<b>700</b>	3205	<b>L</b>
T T6060 4.5 Elite CR	97	132	594	<b>122</b>	<b>166</b>	<b>743</b>	3090	<b>L</b>
T T6070 6.7 CR	104	141	625	<b>130</b>	<b>177</b>	<b>745</b>	3205	<b>L</b>
T T6080 6.7 CR	114	155	690	<b>143</b>	<b>194</b>	<b>863</b>	3205	<b>L</b>
T T6090 6.7 CR	121	165	710	<b>151</b>	<b>205</b>	<b>910</b>	3205	<b>L</b>
T T7.170 6.7 Tier 4A	92	125	612	<b>114</b>	<b>155</b>	<b>750</b>	3175	<b>L</b>
T T7.175 FPT 6.7 Tier 4B	105	143	0	<b>126</b>	<b>172</b>	<b>0</b>	3262	<b>L</b>
T T7.185 6.7 Tier 4A	103	140	679	<b>132</b>	<b>180</b>	<b>900</b>	3175	<b>L</b>
T T7.190 FPT 6.7 Tier 4B	110	150	0	<b>137</b>	<b>186</b>	<b>0</b>	3262	<b>L</b>
T T7.200 6.7 Tier 4A	114	155	740	<b>143</b>	<b>194</b>	<b>925</b>	3175	<b>L</b>
T T7.210 6.7 Tier 4A	121	164	766	<b>152</b>	<b>207</b>	<b>958</b>	3175	<b>L</b>
T T7.210 6.7 Tier 4B (After 01/01/2014)	121	165	0	<b>147</b>	<b>200</b>	<b>0</b>	3262	<b>L</b>
T T7.220 6.7 Tier 4A	118	161	716	<b>140</b>	<b>190</b>	<b>860</b>	3175	<b>L</b>
T T7.230 FPT 6.7 Tier 3B	134	182	0	<b>162</b>	<b>220</b>	<b>0</b>	3262	<b>L</b>
T T7.235 6.7 Tier 4A	136	185	862	<b>171</b>	<b>232</b>	<b>1080</b>	3175	<b>L</b>
T T7.245 FPT 6.7 Tier 4B	133	181	1357	<b>160</b>	<b>217</b>	<b>1627</b>	3262	<b>L</b>
T T7.250 6.7 Tier 4A	147	200	927	<b>188</b>	<b>255</b>	<b>1160</b>	3175	<b>L</b>
T T7.260 6.7 Tier 4A	157	214	995	<b>199</b>	<b>270</b>	<b>1245</b>	3175	<b>L</b>
T T7.260 FPT 6.7 Tier 4B (After 01/01/2014)	164	223	0	<b>199</b>	<b>270</b>	<b>0</b>	3262	<b>L</b>
T T7.270 6.7 Tier 4A	168	228	1089	<b>220</b>	<b>299</b>	<b>1240</b>	3175	<b>L</b>
T T7.270 FPT 6.7 Tier 4B (After 01/01/2014)	179	243	0	<b>215</b>	<b>293</b>	<b>0</b>	3262	<b>L</b>
T T7030 6.7 CR	123	167	774	<b>154</b>	<b>209</b>	<b>968</b>	3205	<b>L</b>
T T7040 6.7 CR	134	182	844	<b>168</b>	<b>228</b>	<b>1055</b>	3205	<b>L</b>
T T7050 6.7 CR	145	197	860	<b>181</b>	<b>246</b>	<b>1075</b>	3205	<b>L</b>
T T7060 6.7 CR	157	214	866	<b>196</b>	<b>267</b>	<b>1083</b>	3205	<b>L</b>
T T7070 6.7 CR	165	224	1025	<b>201</b>	<b>273</b>	<b>1242</b>	3205	<b>L</b>
T T7510 6.6	104	141	585	<b>129</b>	<b>175</b>	<b>745</b>	3178	<b>L</b>
T T7520 6.6	111	151	630	<b>138</b>	<b>187</b>	<b>770</b>	3178	<b>L</b>
T T7530 6.6	118	160	675	<b>148</b>	<b>201</b>	<b>835</b>	3178	<b>L</b>
T T7540 6.6	129	175	745	<b>160</b>	<b>218</b>	<b>940</b>	3178	<b>L</b>

T T7550 6.6	144	196	792	<b>178</b>	<b>242</b>	<b>980</b>	3178	<b>L</b>
T T8.275 8.7 Tier 4A	143	194	0	<b>180</b>	<b>245</b>	<b>0</b>	3175	<b>L</b>
T T8.300 8.7 Tier 4A	189	257	1267	<b>236</b>	<b>321</b>	<b>1585</b>	3175	<b>L</b>
T T8.320 FPT Cursor 8.7 Tier 4B Final	184	250	0	<b>232</b>	<b>316</b>	<b>0</b>	3285	<b>T</b>
T T8.330 8.7 Tier 4A	209	284	1397	<b>261</b>	<b>355</b>	<b>1750</b>	3175	<b>L</b>
T T8.350 FPT Cursor 9 8.7 FPT Tier 4B Final	206	280	0	<b>254</b>	<b>346</b>	<b>0</b>	3285	<b>T</b>
T T8.360 8.7 Tier 4B	229	311	1230	<b>286</b>	<b>389</b>	<b>1915</b>	3175	<b>L</b>
T T8.380 FPT Cursor 9 8.7 Tier 4B Final	229	311	0	<b>277</b>	<b>377</b>	<b>0</b>	3285	<b>T</b>
T T8.390 8.7 Tier 4A	250	340	1671	<b>315</b>	<b>428</b>	<b>2090</b>	3175	<b>L</b>
T T8.410 FPT Cursor 9 8.7 Tier 4B Final	250	340	0	<b>299</b>	<b>406</b>	<b>0</b>	3285	<b>T</b>
T T8.410 SmartTrax FPT Cursor 9 8.7 Tier 4B Final	250	340	1327	<b>299</b>	<b>406</b>	<b>1557</b>	3285	<b>T</b>
T T8.420 8.7 Tier 4A	270	367	1806	<b>339</b>	<b>461</b>	<b>2560</b>	3175	<b>L</b>
T T8.435 FPT Cursor 9 8.7 Tier 4B Final	279	380	0	<b>327</b>	<b>445</b>	<b>0</b>	3285	<b>T</b>
T T8.435 SmartTrax FPT Cursor 9 8.7 Tier 4B Final	279	380	1259	<b>327</b>	<b>445</b>	<b>1489</b>	3285	<b>T</b>
T T8010 8.3 CR	163	222	1022	<b>198</b>	<b>269</b>	<b>1228</b>	3096	<b>L</b>
T T8020 8.3 CR	182	248	1162	<b>228</b>	<b>310</b>	<b>1453</b>	3096	<b>L</b>
T T8030 8.3 CR	201	273	1285	<b>251</b>	<b>341</b>	<b>1606</b>	3096	<b>L</b>
T T8040 8.3 CR	223	303	1367	<b>279</b>	<b>379</b>	<b>1709</b>	3096	<b>L</b>
T T8050 9.0 CR	239	325	1450	<b>299</b>	<b>407</b>	<b>1813</b>	3001	<b>I</b>
T T9.390 8.7 Tier 4A	260	354	1745	<b>327</b>	<b>445</b>	<b>2182</b>	3175	<b>L</b>
T T9.435 FPT Cursor 9 8.7 Tier 4B Final	272	370	0	<b>320</b>	<b>435</b>	<b>0</b>	3285	<b>T</b>
T T9.450 12.7 Tier 4A	297	404	0	<b>357</b>	<b>486</b>	<b>0</b>	3175	<b>L</b>
T T9.505 12.7 Tier 4A	335	456	0	<b>395</b>	<b>537</b>	<b>0</b>	3175	<b>L</b>
T T9.530 13.0 Tier 3B	386	525	2229	<b>438</b>	<b>595</b>	<b>2790</b>	3259	<b>L</b>
T T9.560 12.7 Tier 4A	372	506	0	<b>425</b>	<b>578</b>	<b>0</b>	3175	<b>L</b>
T T9.565 13.0 Tier 4B	373	507	2374	<b>393</b>	<b>535</b>	<b>2495</b>	3259	<b>L</b>
T T9.600 13.0 Tier 4B	399	543	2540	<b>500</b>	<b>680</b>	<b>3180</b>	3259	<b>L</b>
T T9.600 SmartTrax II 13.0 Tier 4B	386	525	2540	<b>500</b>	<b>680</b>	<b>3180</b>	3259	<b>L</b>
T T9.615 12.7 Tier 4A	399	543	2540	<b>500</b>	<b>680</b>	<b>3180</b>	3259	<b>L</b>
T T9.645 13.0 Tier 4B	433	589	2757	<b>544</b>	<b>740</b>	<b>3450</b>	3259	<b>L</b>
T T9.670 12.7 Tier 4A	447	608	2848	<b>559</b>	<b>760</b>	<b>3565</b>	3259	<b>L</b>
T T9.700 13.0 Tier 4B	462	628	2941	<b>577</b>	<b>785</b>	<b>3680</b>	3259	<b>L</b>
T T9.700 SmarTrax II 13.0 Tier 4B	462	628	2941	<b>577</b>	<b>785</b>	<b>3680</b>	3259	<b>L</b>
T T9030 12.9	286	389	0	<b>345</b>	<b>469</b>	<b>0</b>	3175	<b>L</b>
T T9040 12.9	323	439	0	<b>384</b>	<b>522</b>	<b>0</b>	3175	<b>L</b>
T T9050 12.9	361	491	0	<b>419</b>	<b>570</b>	<b>0</b>	3175	<b>L</b>
T T9050 15.0	317	431	2417	<b>397</b>	<b>540</b>	<b>3030</b>	3162	<b>L</b>
T T9060 15.0	399	543	2563	<b>482</b>	<b>655</b>	<b>3080</b>	3162	<b>L</b>
TC 5070 6.7 Tier 4A	154	210	0	<b>193</b>	<b>263</b>	<b>0</b>	3175	<b>L</b>
TC 5080 6.7 Tier 4A	175	238	0	<b>219</b>	<b>298</b>	<b>0</b>	3175	<b>L</b>
TG 215 8.3 CR	160	218	0	<b>202</b>	<b>275</b>	<b>0</b>	3096	<b>L</b>
TG 275 8.3 CR	168	228	0	<b>206</b>	<b>280</b>	<b>0</b>	3096	<b>L</b>
TG 305 8.3 CR	190	258	0	<b>240</b>	<b>326</b>	<b>0</b>	3096	<b>L</b>

TJ 375 14.9	280	381	1871	352	479	2335	3162	L
TJ 380 12.9	282	384	0	351	477	0	3175	L
TJ 425 14.9	316	430	0	396	538	0	3162	L
TJ 430 12.9	319	434	0	381	518	0	3175	L
TJ 450 14.9	335	456	2263	423	575	2830	3162	L
TJ 480 14.9	358	487	0	448	609	0	3162	L
TJ 500 14.9	373	507	2363	466	634	2960	3162	L
TJ 530 14.9	395	537	0	494	672	0	3162	L
TM 175 7.5 R6	163	221	948	190	259	1121	VP-T	LK
TM 190 7.5 R6	142	193	864	170	231	1037	VP-T	LK
TS 110 A 4.5 CR	85	116	520	102	139	624	3001	I
TS 125 A 6.7 CR	92	125	566	115	156	708	3072	L
TS 135 A 6.7 CR	100	136	612	125	170	765	3001	I
TVT 135 6.6	101	137	570	127	173	713	VP-T	LK
TVT 145 6.6	108	147	610	130	177	732	VP-T	LK
TVT 155 6.6	115	156	660	138	188	792	VP-T	LK
TVT 170 6.6	126	171	725	151	205	870	VP-T	LK
TVT 190 6.6	141	192	790	176	239	988	VP-T	LK
TVT 195 6.6	144	196	792	178	242	980	3178	L

Renault Agri	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
Ares 546 RX/RZ 4.5	66	90	370	80	109	445	STAN	L	
Ares 556 RX/RZ 4.5	74	101	415	90	122	500	STAN	L	
Ares 566 RX/RZ 4.5	81	110	430	96	130	550	STAN	L	
Ares 616 RX/RZ 6.8	81	110	455	96	130	520	STAN	L	
Ares 656 RZ 6.8	92	125	530	114	155	640	STAN	L	
Ares 696 RE 6.8	104	141	585	130	177	705	STAN	L	
Ares 816 RX/RZ 6.8	115	156	665	140	190	800	STAN	L	
Ares 826 RX/RZ 6.8	129	175	760	158	215	915	STAN	L	
Celtis 426 RE 4.5	53	72	280	66	90	340	STAN	L	
Celtis 436 RX 4.5	59	80	335	73	99	400	STAN	L	
Celtis 446 4.5	66	90	370	80	109	440	STAN	L	
Celtis 456 4.5	74	101	415	90	122	470	STAN	L	

Same	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
Diamond 215 7.1	166	226	865	209	284	1100	HSY201	L	
Diamond 230 7.1	179	244	961	211	287	1175	6101	E	
Diamond 265 7.1	203	276	1028	255	347	1290	HSY201	L	
Diamond 270 7.1	198	269	1052	229	311	1290	6101	E	
Dorado S 100 4.0	66	90	377	84	114	480	HSY201	L	
Dorado S 70 3.0	50	68	260	64	87	330	HSY201	L	
Dorado S 75 4.0	52	71	257	66	90	325	HSY201	L	
Dorado S 86 4.0	70	95	396	87	118	480	HSY201	L	

Dorado S 90 4.0	61	83	348	75	102	440	HSY201	L	
Explorer 85 4.0	60	82	325	75	102	408	HSY201	L	
Explorer 95 4.0	67	91	367	85	116	460	HSY201	L	
Frutteto II 100 4.0	66	90	351	84	114	440	HSY201	L	
Frutteto II 50 3.0	39	53	190	50	68	240	HSY201	L	
Frutteto II 70 3.0	50	68	243	42	57	304	HSY201	L	
Frutteto II 75 4.0	52	71	240	66	90	300	HSY201	L	
Frutteto II 90 4.0	61	83	324	77	105	407	HSY201	L	
Iron 100 4.0	74	100	396	94	128	500	HSY201	L	
Iron 110 4.0	81	110	512	102	139	640	HSY201	L	
Iron 120 6.1	88	120	512	103	140	600	HSY201	L	
Iron 130	97	132	527	113	154	613	3224	L	NEW
Iron 130S 4.0	92	125	0	116	158	0	HSY201	L	
Iron 150 6.0	110	150	556	140	190	700	HSY201	L	
Iron 160	120	163	655	140	191	747	3224	L	NEW
Iron 165 7.1	125	170	683	157	214	855	HSY201	L	
Iron 175S 7.1	127	173	735	160	218	920	HSY201	L	
Iron 190S 7.1	141	192	780	176	240	975	HSY201	L	
Iron 200 7.1	150	204	820	190	258	1030	HSY201	L	
Iron 210 7.1	157	214	836	188	256	1045	HSY201	L	
Virtus 100	70	95	397	85	116	461	3315	L	
Virtus 110	77	105	440	94	128	510	3315	L	
Virtus 120	83	113	460	101	138	534	3315	L	NEW

Steiger	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
3 350 8.7 Tier 4A	257	349	0	324	440	0	3175	L	

Steyr	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
4 4095 3.4 Tier 4A	73	99	407	92	125	502	3218	L	
4 4110 4.4 CR	82	112	520	103	140	650	3090	L	
4 4115 Profi 4.5 CR	85	116	530	102	139	624	6101	E	
4 4120 4.4 CR	89	121	563	111	151	704	3090	L	
4 4130 4.4 Vario Tier 4	81	110	600	100	136	720	3283	L	
4 4130 4.4 CR	97	132	594	121	165	735	3090	L	
6 6115 6.7 CR	86	117	543	108	147	679	3072	L	
6 6125 6.7 CR	93	126	593	116	158	741	6101	E	
6 6130 6.7 CVT Ecotech Tier 4A	96	131	631	122	166	790	3175	L	
6 6135 6.6 CVT	101	137	570	128	174	715	VP-T	LK	
6 6135 6.7 CR	100	136	612	125	170	765	6101	E	
6 6140 6.6 CVT	104	141	585	129	175	745	3178	L	
6 6140 6.6 CVT VP	104	141	585	131	178	733	VP-T	LK	
6 6140 6.7 CR	104	141	613	130	177	736	3072	L	
6 6145 6.6 CVT	108	147	610	136	185	765	VP-T	LK	

6 6145 6.7 CVT Ecotech Tier 4A	107	146	698	132	180	840	3175	L	
6 6150 6.6 CVT VP	111	151	630	140	190	790	VP-T	LK	
6 6155 6.6 CVT	115	156	660	145	197	824	VP-T	LK	
6 6160 6.6 CVT	118	160	675	148	201	835	3178	L	
6 6160 6.6 CVT VP	118	160	675	149	203	845	VP-T	LK	
6 6160 6.7 CVT Ecotech Tier 4A	118	160	767	149	203	930	3175	L	
6 6165 6.7 CVT	123	167	774	155	211	970	3072	L	
6 6170 6.6 CVT	126	171	725	157	214	908	VP-T	LK	
6 6170 6.7 Ecotech Tier 4A	123	167	825	154	210	1034	3175	L	
6 6175 6.6 CVT	129	175	745	160	218	940	3178	L	
6 6175 6.6 CVT VP	129	175	745	160	218	932	VP-T	LK	
6 6180 6.7 CVT	134	182	844	169	230	1060	3072	L	
6 6185 6.7 CVT Ecotech Tier 4A	135	184	863	171	233	1080	3175	L	
6 6190 6.6 CVT	141	192	790	175	238	987	VP-T	LK	
6 6195 6.6 CVT	144	196	792	178	242	980	3178	L	
6 6200 6.7 CVT	145	197	860	182	248	1078	3072	L	
6 6205 6.7 CVT Ecotech Tier 4A	147	200	927	185	252	1160	3175	L	
6 6210 6.7 CVT	157	214	866	197	268	1085	3072	L	
6 6215 6.7 CVT Ecotech Tier 4A	157	214	995	199	270	1245	3175	L	
6 6225 6.7 CVT	165	224	950	207	282	1120	3072	L	
6 6230 6.7 CVT Ecotech Tier 4A	167	227	1089	210	285	1363	3175	L	
CVT 6150 6.7 Tier 4B / Tier 4F	121	165	700	139	189	805	3262	L	
CVT 6165 6.7 Tier 4B / Tier 4F	132	180	770	156	212	885	3262	L	
CVT 6175 6.7 Tier 4B / Tier 4F	132	180	770	156	212	885	3262	L	
CVT 6185 6.7 Tier 4B / Tier 4F	147	200	840	173	235	966	3262	L	
CVT 6200 6.7 Tier 4B / Tier 4F	162	220	930	190	258	1069	3262	L	
CVT 6220 6.7 Tier 4B / Tier 4F	176	240	1000	206	280	1150	3262	L	
CVT 6240 6.7 Tier 4B/Tier 4F	199	270	1100	230	313	1265	3262	L	
Kompakt 4055 S Tier 3B (After 01/06/2011)	43	58	244	52	71	288	3218	L	
Kompakt 4065 S Tier 3B	48	65	275	60	82	324	3218	L	
Kompakt 4075 Tier 3B	55	75	309	68	93	365	3218	L	
Kompakt 4085 3.4 Tier 3B	63	86	351	76	104	448	3218	L	
Kompakt 4095 Tier 3B	74	101	407	89	121	478	3218	L	
Kompakt 4105 Tier 3B (After 01/06/2011)	74	101	407	89	121	478	3218	L	
Kompakt 4105 3.4 Tier 3B	79	107	444	93	127	520	3218	L	
Kompakt 4115 Tier 3B (After 01/06/2011)	74	101	407	89	121	478	3218	L	
Kompakt 4115 Tier 3B	84	114	457	100	136	538	3218	L	
<b>Valtra</b>	<b>Series</b>			<b>Tuningbox</b>					
	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>KW</b>	<b>HP</b>	<b>NM</b>	<b>Code</b>	<b>Price</b>	<b>Installation</b>
6000 Serie 6400 4.4 Hi	77	105	440	97	132	551	VP-T	LK	
6000 Serie 6550 4.4 Hi	77	105	440	97	132	551	VP-T	LK	
6000 Serie 6850 4.4 Hi	92	125	500	116	158	622	VP-T	LK	
8000 Serie 8050	88	120	0	106	144	0	VP-T	LK	

8000 Serie 8150	85	116	0	<b>103</b>	<b>140</b>	<b>580</b>	VP-T	<b>LK</b>
A-Modell A93 3.3	88	120	370	<b>110</b>	<b>150</b>	<b>465</b>	3202	<b>L</b>
C-Modell 120 4.4	88	120	500	<b>110</b>	<b>150</b>	<b>629</b>	VP-T	<b>LK</b>
C-Modell 120 4.4 E	88	120	580	<b>111</b>	<b>151</b>	<b>729</b>	VP-T	<b>LK</b>
C-Modell 150 4.4	110	150	580	<b>138</b>	<b>188</b>	<b>697</b>	VP-T	<b>LK</b>
C-Modell C130 4.4	99	135	510	<b>124</b>	<b>169</b>	<b>641</b>	VP-T	<b>LK</b>
M-Modell 120 4.4	88	120	500	<b>111</b>	<b>151</b>	<b>628</b>	VP-T	<b>LK</b>
M-Modell 120 4.4 E	88	120	580	<b>111</b>	<b>151</b>	<b>726</b>	VP-T	<b>LK</b>
M-Modell 130 4.4	99	135	510	<b>125</b>	<b>170</b>	<b>640</b>	VP-T	<b>LK</b>
M-Modell 150 4.4	110	150	580	<b>139</b>	<b>189</b>	<b>698</b>	VP-T	<b>LK</b>
N-Modell 101 4.4	81	110	460	<b>98</b>	<b>133</b>	<b>554</b>	VP-T	<b>LK</b>
N-Modell 101 4.4 CR	81	110	460	<b>98</b>	<b>133</b>	<b>554</b>	6101	<b>E</b>
N-Modell 103 3.3 Hitech Tier 3B	82	111	465	<b>96</b>	<b>131</b>	<b>550</b>	3202	<b>L</b>
N-Modell 103 3.3 Hitech 5 Tier 3B	82	111	465	<b>96</b>	<b>131</b>	<b>550</b>	3202	<b>L</b>
N-Modell 103.4 4.4	82	112	460	<b>103</b>	<b>140</b>	<b>576</b>	3208	<b>L</b>
N-Modell 111 4.4	90	122	500	<b>109</b>	<b>148</b>	<b>605</b>	VP-T	<b>LK</b>
N-Modell 111 4.4 CR	90	122	500	<b>109</b>	<b>148</b>	<b>605</b>	6101	<b>E</b>
N-Modell 113 4.4	91	124	510	<b>114</b>	<b>155</b>	<b>639</b>	3208	<b>L</b>
N-Modell 113 4.4 Hitech Tier 4A	91	124	510	<b>107</b>	<b>146</b>	<b>595</b>	3208	<b>L</b>
N-Modell 113 4.4 Hitech 5 Tier 4A	91	124	510	<b>107</b>	<b>146</b>	<b>595</b>	3208	<b>L</b>
N-Modell 121 4.4 CR	96	131	540	<b>120</b>	<b>163</b>	<b>590</b>	3178	<b>L</b>
N-Modell 122 4.4 CR (After 01/01/2010)	98	133	540	<b>121</b>	<b>165</b>	<b>590</b>	6101	<b>E</b>
N-Modell 122 4.4 CR	98	133	560	<b>121</b>	<b>165</b>	<b>680</b>	3178	<b>L</b>
N-Modell 123 4.4	99	135	540	<b>125</b>	<b>170</b>	<b>675</b>	3208	<b>L</b>
N-Modell 123 4.4 Hitech Tier 4A	99	135	540	<b>124</b>	<b>168</b>	<b>640</b>	3208	<b>L</b>
N-Modell 123 4.4 Hitech 5 Tier 4A	99	135	540	<b>124</b>	<b>168</b>	<b>640</b>	3208	<b>L</b>
N-Modell 141 4.9 CR	104	141	580	<b>129</b>	<b>175</b>	<b>710</b>	6101	<b>E</b>
N-Modell 142 4.9 Versu	110	150	600	<b>132</b>	<b>179</b>	<b>730</b>	3178	<b>L</b>
N-Modell 143 4.9 Direct Tier 4A	112	152	600	<b>134</b>	<b>182</b>	<b>730</b>	3274	<b>L</b>
N-Modell 143 4.9 Hitech Tier 4A	112	152	600	<b>134</b>	<b>182</b>	<b>730</b>	3274	<b>L</b>
N-Modell 143 4.9 Versu Tier 4A	112	152	600	<b>134</b>	<b>182</b>	<b>730</b>	3274	<b>L</b>
N-Modell 163 4.9 Direct Tier 4A	120	163	650	<b>141</b>	<b>192</b>	<b>780</b>	3192	<b>L</b>
N-Modell 163 4.9 Versu Tier 4A	120	163	650	<b>141</b>	<b>192</b>	<b>780</b>	3192	<b>L</b>
N-Modell 91 4.4	75	102	405	<b>91</b>	<b>124</b>	<b>487</b>	VP-T	<b>LK</b>
N-Modell 93 3.3 Hitech Tier 3B	73	99	430	<b>90</b>	<b>122</b>	<b>510</b>	3202	<b>L</b>
N-Modell 93 3.3 Hitech 5 Tier 3B	73	99	430	<b>90</b>	<b>122</b>	<b>510</b>	3202	<b>L</b>
S-Modell 232 8.4	240	326	1185	<b>290</b>	<b>394</b>	<b>1475</b>	3178	<b>L</b>
S-Modell 233 8.4 Tier 4A	199	270	1195	<b>290</b>	<b>394</b>	<b>1475</b>	3178	<b>L</b>
S-Modell 240 8.4	181	246	970	<b>227</b>	<b>309</b>	<b>1210</b>	VP-T	<b>LK</b>
S-Modell 262 8.4	265	360	1295	<b>320</b>	<b>435</b>	<b>1595</b>	3178	<b>L</b>
S-Modell 263 8.4 Tier 4A	216	294	1310	<b>271</b>	<b>369</b>	<b>1638</b>	3191	<b>L</b>
S-Modell 274 8.4 Tier 4F (After 01/01/2014)	199	270	1300	<b>229</b>	<b>312</b>	<b>1482</b>	3191	<b>L</b>
S-Modell 280 8.4	206	280	1075	<b>259</b>	<b>352</b>	<b>1350</b>	VP-T	<b>LK</b>

S-Modell 292 8.4	290	394	1400	345	469	1755	3178	L
S-Modell 293 8.4 Tier 4A	235	320	1455	294	400	1819	3191	L
S-Modell 295 8.4 Tier 4F (After 01/01/2014)	217	295	1390	250	340	1584	3191	L
S-Modell 322 8.4	315	428	1492	368	501	1855	3178	L
S-Modell 323 8.4 Tier 4A	257	350	1540	322	438	1925	3191	L
S-Modell 324 8.4 Tier 4F (After 01/01/2014)	235	320	1500	271	369	1704	3191	L
S-Modell 353 8.4 Tier 4A	271	369	1540	339	461	1925	3191	L
S-Modell 354 8.4 Tier 4F	279	380	1590	318	433	1810	3191	L
S-Modell 374 8.4 Tier 4F (After 01/01/2014)	272	370	1600	313	425	1825	3191	L
S-Modell 394 8.4 Tier 4F	298	405	1600	340	462	1830	3191	L
T-Modell 120 6.2	88	120	505	111	151	632	VP-T	LK
T-Modell 121 6.6 CR	93	126	550	116	158	688	3178	L
T-Modell 130 6.6	99	135	550	125	170	690	VP-T	LK
T-Modell 131 6.6 CR	104	141	580	130	177	725	3178	L
T-Modell 132 6.6 Versu	99	135	580	125	170	720	3178	L
T-Modell 140 6.2	107	146	655	134	182	819	VP-T	LK
T-Modell 150 6.6	114	155	625	138	188	751	VP-T	LK
T-Modell 151e 6.6 CR	111	151	620	139	189	775	3178	L
T-Modell 151e 6.6 CR	111	151	680	139	189	850	3178	L
T-Modell 152 6.6 Versu	110	150	630	139	189	795	3178	L
T-Modell 153 6.6 Hitech Tier 4A	114	155	640	147	200	860	3171	L
T-Modell 160 6.6	118	160	650	149	203	815	VP-T	LK
T-Modell 161 6.6 CR	118	160	660	148	201	825	3178	L
T-Modell 162e 6.6 Versu	117	159	790	146	199	995	3178	L
T-Modell 163e 7.4 Direct Tier 4A	125	170	680	158	215	880	3191	L
T-Modell 163e 7.4 Versu Tier 4A	125	170	680	158	215	880	3191	L
T-Modell 170 6.3	125	170	655	158	215	820	VP-T	LK
T-Modell 170 7.4 CR	135	184	670	169	230	838	3178	L
T-Modell 171 7.4	126	171	670	158	215	838	3178	L
T-Modell 172 6.6 Versu	125	170	715	155	211	888	3178	L
T-Modell 173 7.4 Hitech Tier 4A	132	180	670	165	225	870	3191	L
T-Modell 180 7.4	129	175	660	162	220	827	VP-T	LK
T-Modell 180 7.4	140	190	745	176	239	933	VP-T	LK
T-Modell 180 7.4 CR	135	184	670	169	230	838	3178	L
T-Modell 182 6.6 Versu	132	180	750	161	219	925	3178	L
T-Modell 182 7.4 Versu Tier 4A	137	186	0	170	231	0	3191	L
T-Modell 183 7.4 Direct Tier 4A	142	193	780	175	238	980	3191	L
T-Modell 183 7.4 Versu Tier 4A	142	193	780	175	238	980	3191	L
T-Modell 190 7.4	129	175	660	163	222	826	VP-T	LK
T-Modell 190 7.4	140	190	745	176	239	932	VP-T	LK
T-Modell 190 7.4	155	211	830	195	265	1041	VP-T	LK
T-Modell 190 7.4 CR	139	189	680	174	237	850	3178	L
T-Modell 191 7.4 CR	129	175	680	155	211	850	3178	L

T-Modell 193 7.4 Hitech Tier 4A	140	190	680	173	235	880	3191	L	
T-Modell 202 7.4 (From 01/01/2009 to 01/12/2011)	132	180	800	174	237	1010	3191	L	
T-Modell 202 7.4	140	190	800	174	237	1010	3191	L	
T-Modell 203 7.4 Tier 4A (After 01/01/2012)	147	200	800	182	247	1000	3191	L	
T-Modell 213 7.4 (After 01/01/2012)	147	200	800	182	247	1000	3191	L	
T-Modell 213 7.4 Versu Tier 4A	162	220	850	195	265	1050	3191	L	
T-Modell T144 Tier 4F	115	156	640	132	180	731	3191	L	NEW
T-Modell T154 Tier 4F	121	165	680	141	192	778	3191	L	NEW
T-Modell T174 Tier 4F	129	175	740	153	208	845	3191	L	NEW
T-Modell T194 Tier 4F (After 01/02/2015)	155	211	800	179	244	910	3191	L	NEW
T-Modell T214 (After 01/02/2015)	169	230	870	195	265	985	3191	L	NEW
T-Modell T234	184	250	930	211	287	1055	3191	L	NEW
T-Modell T254 Tier 4F	173	235	950	201	274	1080	3191	L	NEW
XM-Modell 130	99	135	510	125	170	640	VP-T	LK	
XM-Modell 150	110	150	580	139	189	698	VP-T	LK	

Versatile	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
QSX 12 490 RT 12.0 Cummins Tier 4i	365	496	0	438	596	0	3282	L	
QSX 15 450 DT 15.0 Cummins Tier 4i	336	457	2305	404	549	2882	3282	L	
QSX 15 500 DT 15.0 Cummins Tier 4i	373	507	2508	449	610	3135	3282	L	
QSX 15 550 DT 15.0 Cummins Tier 4i	410	558	2779	493	670	3475	3282	L	

Volvo	Series			Tuningbox			Code	Price	Installation
	KW	HP	NM	KW	HP	NM			
L 110F 7.1	170	231	1060	204	277	1275	3188	L	
L 120F 7.1	180	245	1060	216	294	1275	3188	L	
L 150F 12.1	210	286	1423	246	334	1643	3169	L	
L 180F 12.1	235	320	1594	262	356	1810	3169	L	
L 180G 12.1	245	333	2024	273	371	2257	3263	L	
L 220F 12.1	261	355	1765	298	405	1985	3169	L	
L 350F 16.1	397	540	2532	496	674	3050	3169	L	
L 60F 5.7	115	156	650	138	188	780	3188	L	
L 60G 5.7	120	163	820	149	203	940	3188	L	
L 60H 5.7	123	167	880	152	207	990	3188	L	
L 70F 5.7	126	171	717	151	205	855	3188	L	
L 70G 5.7	125	170	860	157	213	980	3188	L	
L 70H 5.7	127	173	880	157	213	990	3188	L	
L 90F 5.7	129	175	736	155	211	885	3188	L	
L 90G 5.7	129	175	880	158	215	990	3188	L	
L 90H 5.7 0	137	186	880	166	226	990	3188	L	